J2
401:B61
1994
c. 2

BASIC AUTOMATED BIRTH YEARBOOK

State Center for Health
and Environmental Statistics

North Carolina Residents-1994

Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1994nort

BASIC AUTOMATED BIRTH YEARBOOK

North Carolina Residents

1994

This report, referred to as ***The Baby Book,*** contains computerized tables showing statewide counts and percentages for 1994 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of maternal and child health programs and other users of baseline birth data.

This year's cover features David Gilmore Hager, II born January 10, 1995, as photographed by Jim Page.

David's mother is Evangela Hager, a Statistician II at the State Center for Health and Environmental Statistics in the Department of Environment, Health, and Natural Resources.

Department of Environment, Health, and Natural Resources
State Center for Health and Environmental Statistics
Post Office Box 29538
Raleigh, North Carolina 27626-0538

N.C. DOCUMENTS
CLEARINGHOUSE

OCT 24 1995

STATE LIBRARY OF
NORTH CAROLINA
RALEIGH

STATE OF NORTH CAROLINA
James B. Hunt, Jr., Governor

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
Jonathan B. Howes, Secretary

STATE CENTER FOR HEALTH AND ENVIRONMENTAL STATISTICS
Delton Atkinson, M.S.P.H., M.P.H., Director

DEHNR

September 1995

DEFINITIONS

A ***'live birth'*** is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached (Definition adopted by the World Health Organization in 1950.).

A ***'not married'*** mother is one who has never been legally married or who has been widowed or legally divorced from her husband for more than 280 days.

'Birth order' is the sum of all previous deliveries (live births plus other reported terminations, i.e., spontaneous and induced at any time after conception) plus the present live birth.

'Birth weight' is expressed in grams. A low-weight birth is defined as a live born infant weighing less than 2500 grams (5 pounds, 8 ounces or less) at birth, regardless of the period of gestation (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.).

'Age of mother' is reported age in completed years at last birthday.

'Education of mother' is the number of years of schooling completed by the mother at time of the birth.

Beginning in 1990, the last seven tables of this report (Tables 16-22) provide crosstabulations of new birth certificate items by birth weight by race. These pertain to medical history of the mother, maternal smoking and weight gain, obstetric procedures, events of labor and delivery, method of delivery, and conditions of the newborn. These items were added to the North Carolina birth certificate in 1988. In Tables 16 and 19-22, the row totals do not equal the total number of live births because some births involve multiple conditions within a variable.

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother, regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite,' are used. In cases of mixed parentage, the newborn is considered to be the race of the mother.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar before April and processed in the state office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The page following the Table of Contents provides an example and instructions for reading the tables of this printout.

LISTING OF CROSS TABULATIONS OF RESIDENT LIVE BIRTHS

TABLE		Page
1.	Age of Mother by Birth Order by Marital Status by Race (AGE/BTH ORDR/MS/RACE)	1
2.	Age of Mother by Birth Order by Race (AGE/BTH ORDR/RACE)	12
3.	Age of Mother by Birth Weight by Race (AGE/BTH WT/RACE)	18
4.	Education of Mother by Birth Weight by Race (ED/BTH WT/RACE)	24
5.	Month Prenatal Care Began by Education of Mother by Race (MPCB/ED/RACE)	27
6.	Month Prenatal Care Began by Age of Mother by Race (MPCB/AGE/RACE)	30
7.	Month Prenatal Care Began by Marital Status by Race (MPCB/MS/RACE)	36
8.	Month Prenatal Care Began by Birth Order by Race (MPCB/BTH ORDR/RACE)	39
9.	Month Prenatal Care Began by Birth Weight by Race (MPCB/BTH WT/RACE)	42
10.	Number of Prenatal Visits by Education of Mother by Race (PRENTL VSTS/ED/RACE)	45
11.	Number of Prenatal Visits by Age of Mother by Race (PRENTL VSTS/AGE/RACE)	51

12. Number of Prenatal Visits by Marital Status by Race 63
(PRENTL VSTS/MS/RACE)

13. Number of Prenatal Visits by Birth Order by Race 69
(PRENTL VSTS/BTH ORDR/RACE

14. Number of Prenatal Visits by Birth Weight by Race 75
(PRENTL VSTS/BTH WT/RACE)

15. Month Prenatal Care Began by Number of Prenatal Visits by Race 81
(MPCB/PRENTL VSTS/RACE)

16. Medical History by Birth Weight by Race 87
(MED HIS/BTH WT/RACE)

17. Maternal Smoking by Birth Weight by Race 90
(SMOKING/BTH WT/RACE)

18. Maternal Weight Gain by Birth Weight by Race 93
(WT GAIN/BTH WT/RACE)

19. Obstetric Procedures by Birth Weight by Race 96
(OB PROCS/BTH WT/RACE)

20. Events of Labor/Delivery by Birth Weight by Race 99
(EV OF LAB/BTH WT/RACE)

21 Method of Delivery by Birth Weight by Race 102
(METH DEL/BTH WT/RACE)

22. Conditions of Newborn by Birth Weight by Race 105
(CONDITION/BTH WT/RACE)

EXAMPLE

RESIDENT BIRTHS, YEAR 0001
AGE/BW/MS/RACE

AGE AGE OF MOTHER BY BW BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
MS MARITAL STATUS OF MOTHER VALUE = 1 MARRIED
RACE VALUE = 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BW: 2500 GMS OR LESS (1)	BW: OVER 2500 GMS (2)	ROW TOTAL
	20	355	2150	2505
		14.2	85.8	9.5
		10.4	9.4	
	21	275	1855	2130
		12.9	87.1	8.1
		8.0	8.1	
	22	209	1615	1824
		11.5	88.5	6.9
		6.1	7.0	
	23	175	1420	1595
		11.0	89.0	6.1
		5.1	6.2	
	24	177	1190	1367
		12.9	87.1	5.2
		5.2	5.2	
25 - 29	25	503	3990	4493
		11.2	88.8	17.1
		14.7	17.4	
30 - 34	26	216	1678	1894
		11.4	88.6	7.2
		6.3	7.3	
35 - 39	27	97	685	782
		12.4	87.6	3.0
		2.8	3.0	
40 - 44	28	35	199	234
		15.0	85.0	0.9
		1.0	0.9	
	COLUMN TOTAL	3425	22925	26350
		13.0	87.0	100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE SECTIONS. THE FIRST SECTION INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND SECTION SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR MARRIED WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD SECTION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 MARRIED WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'BW' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 MARRIED WHITE BIRTHS THAT WEIGHED 2500 GRAMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 MARRIED WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2, AND 10.4. THIS MEANS THAT

- 355 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 14.2 PERCENT OF 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 10.4 PERCENT OF 3425 MARRIED WHITE BIRTHS WEIGHING 2500 GRAMS OR LESS WERE TO WOMEN AGE 20.

AGE OF MOTHER BY BIRTH ORDER
BY MARITAL STATUS
BY RACE

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
13		1										1
		100.0										.0
		.0										
14		18										18
		100.0										.0
		.1										
15		57	4									61
		93.4	6.6									.1
		.3	.0									
16		188	29	6	1	1						225
		83.6	12.9	2.7	.4	.4						.4
		.9	.1	.1	.0	.1						
17		432	99	13	1						1	546
		79.1	18.1	2.4	.2						.2	.9
		2.2	.5	.1	.0						1.6	
18		688	295	42	3	2		2			1	1033
		66.6	28.6	4.1	.3	.2		.2			.1	1.8
		3.4	1.5	.4	.1	.1		.7			1.6	
19		1086	493	139	30	8	3				2	1761
		61.7	28.0	7.9	1.7	.5	.2				.1	3.0
		5.4	2.5	1.3	.7	.4	.4				3.3	
20		1194	743	238	66	9	3	1		1	3	2258
		52.9	32.9	10.5	2.9	.4	.1	.0		.0	.1	3.9
		6.0	3.8	2.3	1.5	.5	.4	.3		.7	4.9	
21		1226	857	337	105	32	8	2			2	2569
		47.7	33.4	13.1	4.1	1.2	.3	.1			.1	4.4
		6.1	4.4	3.2	2.3	1.8	1.1	.7			3.3	
22		1213	1062	469	157	51	8	4		1	3	2968
		40.9	35.8	15.8	5.3	1.7	.3	.1		.0	.1	5.1
		6.1	5.4	4.4	3.5	2.8	1.1	1.4		.7	4.9	
23		1295	1196	504	195	50	21	8	2	3	3	3277
		39.5	36.5	15.4	6.0	1.5	.6	.2	.1	.1	.1	5.7
		6.5	6.1	4.8	4.4	2.8	2.9	2.7	1.5	2.2	4.9	
	Column	19974	19657	10559	4473	1797	727	293	135	137	61	57813
(Continued)	Total	34.5	34.0	18.3	7.7	3.1	1.3	.5	.2	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	24	1325	1219	526	203	64	20	10	2	3	4	3376
		39.2	36.1	15.6	6.0	1.9	.6	.3	.1	.1	.1	5.8
		6.6	6.2	5.0	4.5	3.6	2.8	3.4	1.5	2.2	6.6	
25 - 29	25	6465	6481	3151	1236	489	157	62	17	24	18	18100
		35.7	35.8	17.4	6.8	2.7	.9	.3	.1	.1	.1	31.3
		32.4	33.0	29.8	27.6	27.2	21.6	21.2	12.6	17.5	29.5	
30 - 34	26	3700	5362	3549	1563	615	262	99	57	32	18	15257
		24.3	35.1	23.3	10.2	4.0	1.7	.6	.4	.2	.1	26.4
		18.5	27.3	33.6	34.9	34.2	36.0	33.8	42.2	23.4	29.5	
35 - 39	27	972	1623	1392	788	405	205	81	34	46	5	5551
		17.5	29.2	25.1	14.2	7.3	3.7	1.5	.6	.8	.1	9.6
		4.9	8.3	13.2	17.6	22.5	28.2	27.6	25.2	33.6	8.2	
40 - 44	28	108	187	184	118	68	39	23	22	23	1	773
		14.0	24.2	23.8	15.3	8.8	5.0	3.0	2.8	3.0	.1	1.3
		.5	1.0	1.7	2.6	3.8	5.4	7.8	16.3	16.8	1.6	
45 AND OVER	29	5	3	9	5	2	1	1	1	4		31
		16.1	9.7	29.0	16.1	6.5	3.2	3.2	3.2	12.9		.1
		.0	.0	.1	.1	.1	.1	.3	.7	2.9		
NOT STATED	30	1	4		2	1						8
		12.5	50.0		25.0	12.5						.0
		.0	.0		.0	.1						
	Column Total	19974	19657	10559	4473	1797	727	293	135	137	61	57813
		34.5	34.0	18.3	7.7	3.1	1.3	.5	.2	.2	.1	100.0

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
13		17	1									18
		94.4	5.6									.1
		.3	.0									
14		74	3									77
		96.1	3.9									.6
		1.2	.1									
15		258	13	1								272
		94.9	4.8	.4								2.2
		4.1	.4	.1								
16		571	56	7							1	635
		89.9	8.8	1.1							.2	5.1
		9.0	1.8	.4							4.3	
17		951	153	29	6	1					2	1142
		83.3	13.4	2.5	.5	.1					.2	9.2
		15.0	5.0	1.8	.8	.3					8.7	
18		952	303	42	9	2						1308
		72.8	23.2	3.2	.7	.2						10.6
		15.0	10.0	2.7	1.2	.5						
19		848	287	81	14	4						1234
		68.7	23.3	6.6	1.1	.3						10.0
		13.4	9.5	5.1	1.9	1.1						
20		648	348	129	35	12	5				2	1179
		55.0	29.5	10.9	3.0	1.0	.4				.2	9.5
		10.2	11.5	8.2	4.7	3.2	3.5				8.7	
21		477	304	126	50	11	1	2			1	972
		49.1	31.3	13.0	5.1	1.1	.1	.2			.1	7.8
		7.5	10.0	8.0	6.7	2.9	.7	2.8			4.3	
22		357	271	132	68	26	12	3	1			870
		41.0	31.1	15.2	7.8	3.0	1.4	.3	.1			7.0
		5.6	8.9	8.4	9.1	6.8	8.4	4.2	3.3			
23		277	239	153	74	33	16	3	2			797
		34.8	30.0	19.2	9.3	4.1	2.0	.4	.3			6.4
		4.4	7.9	9.7	9.9	8.7	11.2	4.2	6.7			
(Continued)	Column Total	6349	3037	1578	749	380	143	71	30	32	23	12392
		51.2	24.5	12.7	6.0	3.1	1.2	.6	.2	.3	.2	100.0

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	24	196	180	129	53	25	3	2	3	2	4	597
		32.8	30.2	21.6	8.9	4.2	.5	.3	.5	.3	.7	4.8
		3.1	5.9	8.2	7.1	6.6	2.1	2.8	10.0	6.3	17.4	
	25	473	549	441	242	129	46	22	6	6	8	1922
25 - 29		24.6	28.6	22.9	12.6	6.7	2.4	1.1	.3	.3	.4	15.5
		7.4	18.1	27.9	32.3	33.9	32.2	31.0	20.0	18.8	34.8	
	26	170	245	225	137	87	33	24	10	12	3	946
30 - 34		18.0	25.9	23.8	14.5	9.2	3.5	2.5	1.1	1.3	.3	7.6
		2.7	8.1	14.3	18.3	22.9	23.1	33.8	33.3	37.5	13.0	
	27	65	67	71	54	42	18	12	5	8	2	344
35 - 39		18.9	19.5	20.6	15.7	12.2	5.2	3.5	1.5	2.3	.6	2.8
		1.0	2.2	4.5	7.2	11.1	12.6	16.9	16.7	25.0	8.7	
	28	13	17	12	6	8	9	3	3	4		75
40 - 44		17.3	22.7	16.0	8.0	10.7	12.0	4.0	4.0	5.3		.6
		.2	.6	.8	.8	2.1	6.3	4.2	10.0	12.5		
	30	2	1		1							4
NOT STATED		50.0	25.0		25.0							.0
		.0	.0		.1							
	Column Total	6349	3037	1578	749	380	143	71	30	32	23	12392
		51.2	24.5	12.7	6.0	3.1	1.2	.6	.2	.3	.2	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	NOT STATED (10)	Row Total
16		1						1
		100.0						2.8
		11.1						
17		1						1
		100.0						2.8
		11.1						
19		1		1				2
		50.0		50.0				5.6
		11.1		8.3				
20		1	2					3
		33.3	66.7					8.3
		11.1	28.6					
21		1	2					3
		33.3	66.7					8.3
		11.1	28.6					
22		1	1	2				4
		25.0	25.0	50.0				11.1
		11.1	14.3	16.7				
23					1			1
					100.0			2.8
					50.0			
24				1			1	2
				50.0			50.0	5.6
				8.3			20.0	
25		2	1	5	1		2	11
25 - 29		18.2	9.1	45.5	9.1		18.2	30.6
		22.2	14.3	41.7	50.0		40.0	
26		1	1	3		1		6
30 - 34		16.7	16.7	50.0		16.7		16.7
		11.1	14.3	25.0		100.0		
27							1	1
35 - 39							100.0	2.8
							20.0	
	Column Total	9	7	12	2	1	5	36
		25.0	19.4	33.3	5.6	2.8	13.9	100.0

(Continued)

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1	2	3	4	5	NOT STATED 10	Row Total
NOT STATED	30						1 100.0 20.0	1 2.8
	Column Total	9 25.0	7 19.4	12 33.3	2 5.6	1 2.8	5 13.9	36 100.0

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
12		1										1
		100.0										.0
		.0										
14		1										1
		100.0										.0
		.0										
15		1										1
		100.0										.0
		.0										
16		11	4	2	1							18
		61.1	22.2	11.1	5.6							.2
		.4	.1	.1	.1							
17		18	10	2								30
		60.0	33.3	6.7								.3
		.7	.3	.1								
18		55	22	8	2							87
		63.2	25.3	9.2	2.3							.8
		2.1	.6	.3	.1							
19		84	71	29	7	2	1				1	195
		43.1	36.4	14.9	3.6	1.0	.5				.5	1.7
		3.2	2.0	1.2	.5	.3	.3				7.7	
20		145	125	43	26	6	1					346
		41.9	36.1	12.4	7.5	1.7	.3					3.1
		5.5	3.6	1.7	1.9	.9	.3					
21		154	182	71	33	13	5	2		1		461
		33.4	39.5	15.4	7.2	2.8	1.1	.4		.2		4.1
		5.9	5.2	2.9	2.5	1.9	1.5	1.3		1.4		
22		169	197	105	65	21	9	9			1	576
		29.3	34.2	18.2	11.3	3.6	1.6	1.6			.2	5.1
		6.5	5.6	4.2	4.8	3.1	2.8	5.8			7.7	
23		193	217	160	58	30	18	5	1	2	1	685
		28.2	31.7	23.4	8.5	4.4	2.6	.7	.1	.3	.1	6.1
		7.4	6.2	6.5	4.3	4.5	5.6	3.2	1.4	2.9	7.7	
(Continued)	Column Total	2620	3489	2474	1345	670	323	154	73	69	13	11230
		23.3	31.1	22.0	12.0	6.0	2.9	1.4	.7	.6	.1	100.0

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	24	177	270	162	95	36	15	3		1	1	760
		23.3	35.5	21.3	12.5	4.7	2.0	.4		.1	.1	6.8
		6.8	7.7	6.5	7.1	5.4	4.6	1.9		1.4	7.7	
	25	933	1144	844	466	225	95	46	14	5	3	3775
25 - 29		24.7	30.3	22.4	12.3	6.0	2.5	1.2	.4	.1	.1	33.6
		35.6	32.8	34.1	34.6	33.6	29.4	29.9	19.2	7.2	23.1	
	26	508	911	709	383	196	102	49	30	24	4	2916
30 - 34		17.4	31.2	24.3	13.1	6.7	3.5	1.7	1.0	.8	.1	26.0
		19.4	26.1	28.7	28.5	29.3	31.6	31.8	41.1	34.8	30.8	
	27	145	301	293	184	120	57	32	23	27	2	1184
35 - 39		12.2	25.4	24.7	15.5	10.1	4.8	2.7	1.9	2.3	.2	10.5
		5.5	8.6	11.8	13.7	17.9	17.6	20.8	31.5	39.1	15.4	
	28	23	33	43	24	21	18	8	4	7		181
40 - 44		12.7	18.2	23.8	13.3	11.6	9.9	4.4	2.2	3.9		1.6
		.9	.9	1.7	1.8	3.1	5.6	5.2	5.5	10.1		
	29	1	1	1	1		1		1	2		8
45 AND OVER		12.5	12.5	12.5	12.5		12.5		12.5	25.0		.1
		.0	.0	.0	.1		.3		1.4	2.9		
	30	1	1	2			1					5
NOT STATED		20.0	20.0	40.0			20.0					.0
		.0	.0	.1			.3					
	Column Total	2620	3489	2474	1345	670	323	154	73	69	13	11230
		23.3	31.1	22.0	12.0	6.0	2.9	1.4	.7	.6	.1	100.0

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
12		12										12
		100.0										.1
		.2										
13		62	1									63
		98.4	1.6									.3
		.8	.0									
14		244	14									258
		94.6	5.4									1.3
		3.1	.3									
15		513	45	1								559
		91.8	8.1	.2								2.8
		6.5	.8	.0								
16		831	158	14	2	1					1	1007
		82.5	15.7	1.4	.2	.1					.1	5.1
		10.5	3.0	.4	.1	.1					5.0	
17		1085	325	58	9	1	1					1479
		73.4	22.0	3.9	.6	.1	.1					7.4
		13.7	6.1	1.8	.5	.1	.2					
18		1021	508	150	25	7		1			2	1714
		59.6	29.6	8.8	1.5	.4		.1			.1	8.6
		12.9	9.5	4.7	1.4	.8		.6			10.0	
19		952	594	247	89	16	2	1	1		3	1905
		50.0	31.2	13.0	4.7	.8	.1	.1	.1		.2	9.6
		12.0	11.1	7.7	5.1	1.8	.5	.6	1.1		15.0	
20		753	587	296	111	37	12	1		1		1798
		41.9	32.6	16.5	6.2	2.1	.7	.1		.1		9.0
		9.5	11.0	9.2	6.4	4.1	2.9	.6		1.2		
21		602	556	364	165	66	10	2	3	1	2	1771
		34.0	31.4	20.6	9.3	3.7	.6	.1	.2	.1	.1	8.9
		7.6	10.4	11.4	9.4	7.4	2.4	1.1	3.2	1.2	10.0	
22		440	454	308	156	86	25	4	3	2	3	1481
		29.7	30.7	20.8	10.5	5.8	1.7	.3	.2	.1	.2	7.4
		5.6	8.5	9.6	8.9	9.6	6.0	2.3	3.2	2.4	15.0	
	Column Total	7927	5351	3205	1748	894	414	176	95	82	20	19912
		39.8	26.9	16.1	8.8	4.5	2.1	.9	.5	.4	.1	100.0

(Continued)

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	23	316	375	287	175	76	47	7	3	1	3	1290
		24.5	29.1	22.2	13.6	5.9	3.6	.5	.2	.1	.2	6.5
		4.0	7.0	9.0	10.0	8.5	11.4	4.0	3.2	1.2	15.0	
	24	206	337	219	158	71	30	12	3	3	1	1040
		19.8	32.4	21.1	15.2	6.8	2.9	1.2	.3	.3	.1	5.2
		2.6	6.3	6.8	9.0	7.9	7.2	6.8	3.2	3.7	5.0	
	25	587	851	738	490	288	132	74	36	19	2	3217
25 - 29		18.2	26.5	22.9	15.2	9.0	4.1	2.3	1.1	.6	.1	16.2
		7.4	15.9	23.0	28.0	32.2	31.9	42.0	37.9	23.2	10.0	
	26	224	399	384	250	160	99	45	24	27	2	1614
30 - 34		13.9	24.7	23.8	15.5	9.9	6.1	2.8	1.5	1.7	.1	8.1
		2.8	7.5	12.0	14.3	17.9	23.9	25.6	25.3	32.9	10.0	
	27	63	134	124	98	69	50	24	18	23	1	604
35 - 39		10.4	22.2	20.5	16.2	11.4	8.3	4.0	3.0	3.8	.2	3.0
		.8	2.5	3.9	5.6	7.7	12.1	13.6	18.9	28.0	5.0	
	28	15	11	13	17	15	6	4	4	5		90
40 - 44		16.7	12.2	14.4	18.9	16.7	6.7	4.4	4.4	5.6		.5
		.2	.2	.4	1.0	1.7	1.4	2.3	4.2	6.1		
	29			1	3			1				5
45 AND OVER				20.0	60.0			20.0				.0
				.0	.2			.6				
	30	1	2	1		1						5
NOT STATED		20.0	40.0	20.0		20.0						.0
		.0	.0	.0		.1						
	Column Total	7927	5351	3205	1748	894	414	176	95	82	20	19912
		39.8	26.9	16.1	8.8	4.5	2.1	.9	.5	.4	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 2 NONWHITE

AGE	BO: 1ST (1)	2ND (2)	3RD (3)	6TH (6)	NOT STATED (10)	Row Total
17			1 100.0 100.0			1 7.7
19					1 100.0 14.3	1 7.7
21					1 100.0 14.3	1 7.7
22	1 100.0 33.3					1 7.7
23	1 100.0 33.3					1 7.7
25 (25 - 29)	1 25.0 33.3	1 25.0 100.0		1 25.0 100.0	1 25.0 14.3	4 30.8
27 (35 - 39)					1 100.0 14.3	1 7.7
30 (NOT STATED)					3 100.0 42.9	3 23.1
Column Total	3 23.1	1 7.7	1 7.7	1 7.7	7 53.8	13 100.0

Number of Missing Observations: 0

AGE OF MOTHER
BY BIRTH ORDER
BY RACE

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
12		13										13
		100.0										.0
		.0										
13		80	2									82
		97.6	2.4									.1
		.2	.0									
14		337	17									354
		95.2	4.8									.3
		.9	.1									
15		829	62	2								893
		92.8	6.9	.2								.9
		2.2	.2	.0								
16		1602	247	29	4	2					2	1886
		84.9	13.1	1.5	.2	.1					.1	1.9
		4.3	.8	.2	.0	.1					1.6	
17		2487	587	103	16	2	1				3	3199
		77.7	18.3	3.2	.5	.1	.0				.1	3.2
		6.7	1.9	.6	.2	.1	.1				2.3	
18		2716	1128	242	39	11		3			3	4142
		65.6	27.2	5.8	.9	.3		.1			.1	4.1
		7.4	3.6	1.4	.5	.3		.4			2.3	
19		2971	1445	497	140	30	6	1	1		7	5098
		58.3	28.3	9.7	2.7	.6	.1	.0	.0		.1	5.0
		8.1	4.6	2.8	1.7	.8	.4	.1	.3		5.4	
20		2741	1805	706	238	64	21	2		2	5	5584
		49.1	32.3	12.6	4.3	1.1	.4	.0		.0	.1	5.5
		7.4	5.7	4.0	2.9	1.7	1.3	.3		.6	3.9	
21		2460	1901	898	353	122	24	8	3	2	6	5777
		42.6	32.9	15.5	6.1	2.1	.4	.1	.0	.0	.1	5.7
		6.7	6.0	5.0	4.2	3.3	1.5	1.2	.9	.6	4.7	
22		2181	1985	1016	446	184	54	20	4	3	7	5900
		37.0	33.6	17.2	7.6	3.1	.9	.3	.1	.1	.1	5.8
		5.9	6.3	5.7	5.4	4.9	3.4	2.9	1.2	.9	5.4	
	Column Total	36882	31542	17829	8317	3742	1608	694	333	320	129	101396
		36.4	31.1	17.6	8.2	3.7	1.6	.7	.3	.3	.1	100.0

(Continued)

TABLE 2

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
23	2082 34.4 5.6	2027 33.5 6.4	1104 18.2 6.2	503 8.3 6.0	189 3.1 5.1	102 1.7 6.3	23 .4 3.3	8 .1 2.4	6 .1 1.9	7 .1 5.4	6051 6.0
24	1904 33.0 5.2	2006 34.7 6.4	1037 18.0 5.8	509 8.8 6.1	196 3.4 5.2	68 1.2 4.2	27 .5 3.9	8 .1 2.4	9 .2 2.8	11 .2 8.5	5775 5.7
25 - 29 (25)	8461 31.3 22.9	9027 33.4 28.6	5179 19.2 29.0	2435 9.0 29.3	1131 4.2 30.2	431 1.6 26.8	204 .8 29.4	73 .3 21.9	54 .2 16.9	34 .1 26.4	27029 26.7
30 - 34 (26)	4603 22.2 12.5	6918 33.4 21.9	4870 23.5 27.3	2333 11.2 28.1	1059 5.1 28.3	496 2.4 30.8	217 1.0 31.3	121 .6 36.3	95 .5 29.7	27 .1 20.9	20739 20.5
35 - 39 (27)	1245 16.2 3.4	2125 27.7 6.7	1880 24.5 10.5	1124 14.6 13.5	636 8.3 17.0	330 4.3 20.5	149 1.9 21.5	80 1.0 24.0	104 1.4 32.5	12 .2 9.3	7685 7.6
40 - 44 (28)	159 14.2 .4	248 22.2 .8	252 22.5 1.4	165 14.7 2.0	112 10.0 3.0	72 6.4 4.5	38 3.4 5.5	33 2.9 9.9	39 3.5 12.2	1 .1 .8	1119 1.1
45 AND OVER (29)	6 13.6 .0	4 9.1 .0	11 25.0 .1	9 20.5 .1	2 4.5 .1	2 4.5 .1	2 4.5 .3	2 4.5 .6	6 13.6 1.9		44 .0
NOT STATED (30)	5 19.2 .0	8 30.8 .0	3 11.5 .0	3 11.5 .0	2 7.7 .1	1 3.8 .1				4 15.4 3.1	26 .0
Column Total	36882 36.4	31542 31.1	17829 17.6	8317 8.2	3742 3.7	1608 1.6	694 .7	333 .3	320 .3	129 .1	101396 100.0

Number of Missing Observations: 0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE (Count / Row Pct / Col Pct)	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
13	18	1									19
	94.7	5.3									.0
	.1	.0									
14	92	3									95
	96.8	3.2									.1
	.3	.0									
15	315	17	1								333
	94.6	5.1	.3								.5
	1.2	.1	.0								
16	760	85	13	1	1					1	861
	88.3	9.9	1.5	.1	.1					.1	1.2
	2.9	.4	.1	.0	.0					1.1	
17	1384	252	42	7	1					3	1689
	81.9	14.9	2.5	.4	.1					.2	2.4
	5.3	1.1	.3	.1	.0					3.4	
18	1640	598	84	12	4		2			1	2341
	70.1	25.5	3.6	.5	.2		.1			.0	3.3
	6.2	2.6	.7	.2	.2		.5			1.1	
19	1935	780	221	44	12	3				2	2997
	64.6	26.0	7.4	1.5	.4	.1				.1	4.3
	7.3	3.4	1.8	.8	.6	.3				2.2	
20	1843	1093	367	101	21	8	1		1	5	3440
	53.6	31.8	10.7	2.9	.6	.2	.0		.0	.1	4.9
	7.0	4.8	3.0	1.9	1.0	.9	.3		.6	5.6	
21	1704	1163	463	155	43	9	4			3	3544
	48.1	32.8	13.1	4.4	1.2	.3	.1			.1	5.0
	6.5	5.1	3.8	3.0	2.0	1.0	1.1			3.4	
22	1571	1334	603	225	77	20	7	1	1	3	3842
	40.9	34.7	15.7	5.9	2.0	.5	.2	.0	.0	.1	5.5
	6.0	5.9	5.0	4.3	3.5	2.3	1.9	.6	.6	3.4	
23	1572	1435	657	270	83	37	11	4	3	3	4075
	38.6	35.2	16.1	6.6	2.0	.9	.3	.1	.1	.1	5.8
	6.0	6.3	5.4	5.2	3.8	4.3	3.0	2.4	1.8	3.4	
Column Total	26332	22701	12149	5224	2178	870	364	165	169	89	70241
	37.5	32.3	17.3	7.4	3.1	1.2	.5	.2	.2	.1	100.0

(Continued)

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	24	1521 38.3 5.8	1399 35.2 6.2	656 16.5 5.4	256 6.4 4.9	89 2.2 4.1	23 .6 2.6	12 .3 3.3	5 .1 3.0	5 .1 3.0	9 .2 10.1	3975 5.7
25 - 29	25	6940 34.6 26.4	7031 35.1 31.0	3597 18.0 29.6	1479 7.4 28.3	618 3.1 28.4	203 1.0 23.3	84 .4 23.1	23 .1 13.9	30 .1 17.8	28 .1 31.5	20033 28.5
30 - 34	26	3871 23.9 14.7	5608 34.6 24.7	3777 23.3 31.1	1700 10.5 32.5	703 4.3 32.3	295 1.8 33.9	123 .8 33.8	67 .4 40.6	44 .3 26.0	21 .1 23.6	16209 23.1
35 - 39	27	1037 17.6 3.9	1690 28.7 7.4	1463 24.8 12.0	842 14.3 16.1	447 7.6 20.5	223 3.8 25.6	93 1.6 25.5	39 .7 23.6	54 .9 32.0	8 .1 9.0	5896 8.4
40 - 44	28	121 14.3 .5	204 24.1 .9	196 23.1 1.6	124 14.6 2.4	76 9.0 3.5	48 5.7 5.5	26 3.1 7.1	25 2.9 15.2	27 3.2 16.0	1 .1 1.1	848 1.2
45 AND OVER	29	5 16.1 .0	3 9.7 .0	9 29.0 .1	5 16.1 .1	2 6.5 .1	1 3.2 .1	1 3.2 .3	1 3.2 .6	4 12.9 2.4		31 .0
NOT STATED	30	3 23.1 .0	5 38.5 .0		3 23.1 .1	1 7.7 .0					1 7.7 1.1	13 .0
	Column Total	26332 37.5	22701 32.3	12149 17.3	5224 7.4	2178 3.1	870 1.2	364 .5	165 .2	169 .2	89 .1	70241 100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
12		13										13
		100.0										.0
		.1										
13		62	1									63
		98.4	1.6									.2
		.6	.0									
14		245	14									259
		94.6	5.4									.8
		2.3	.2									
15		514	45	1								560
		91.8	8.0	.2								1.8
		4.9	.5	.0								
16		842	162	16	3	1					1	1025
		82.1	15.8	1.6	.3	.1					.1	3.3
		8.0	1.8	.3	.1	.1					2.5	
17		1103	335	61	9	1	1					1510
		73.0	22.2	4.0	.6	.1	.1					4.8
		10.5	3.8	1.1	.3	.1	.1					
18		1076	530	158	27	7		1			2	1801
		59.7	29.4	8.8	1.5	.4		.1			.1	5.8
		10.2	6.0	2.8	.9	.4		.3			5.0	
19		1036	665	276	96	18	3	1	1		5	2101
		49.3	31.7	13.1	4.6	.9	.1	.0	.0		.2	6.7
		9.8	7.5	4.9	3.1	1.2	.4	.3	.6		12.5	
20		898	712	339	137	43	13	1		1		2144
		41.9	33.2	15.8	6.4	2.0	.6	.0		.0		6.9
		8.5	8.1	6.0	4.4	2.7	1.8	.3		.7		
21		756	738	435	198	79	15	4	3	2	3	2233
		33.9	33.0	19.5	8.9	3.5	.7	.2	.1	.1	.1	7.2
		7.2	8.3	7.7	6.4	5.1	2.0	1.2	1.8	1.3	7.5	
22		610	651	413	221	107	34	13	3	2	4	2058
		29.6	31.6	20.1	10.7	5.2	1.7	.6	.1	.1	.2	6.6
		5.8	7.4	7.3	7.1	6.8	4.6	3.9	1.8	1.3	10.0	
(Continued)	Column Total	10550	8841	5680	3093	1564	738	330	168	151	40	31155
		33.9	28.4	18.2	9.9	5.0	2.4	1.1	.5	.5	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	23	510	592	447	233	106	65	12	4	3	4	1976
		25.8	30.0	22.6	11.8	5.4	3.3	.6	.2	.2	.2	6.3
		4.8	6.7	7.9	7.5	6.8	8.8	3.6	2.4	2.0	10.0	
	24	383	607	381	253	107	45	15	3	4	2	1800
		21.3	33.7	21.2	14.1	5.9	2.5	.8	.2	.2	.1	5.8
		3.6	6.9	6.7	8.2	6.8	6.1	4.5	1.8	2.6	5.0	
	25	1521	1996	1582	956	513	228	120	50	24	6	6996
25 - 29		21.7	28.5	22.6	13.7	7.3	3.3	1.7	.7	.3	.1	22.5
		14.4	22.6	27.9	30.9	32.8	30.9	36.4	29.8	15.9	15.0	
	26	732	1310	1093	633	356	201	94	54	51	6	4530
30 - 34		16.2	28.9	24.1	14.0	7.9	4.4	2.1	1.2	1.1	.1	14.5
		6.9	14.8	19.2	20.5	22.8	27.2	28.5	32.1	33.8	15.0	
	27	208	435	417	282	189	107	56	41	50	4	1789
35 - 39		11.6	24.3	23.3	15.8	10.6	6.0	3.1	2.3	2.8	.2	5.7
		2.0	4.9	7.3	9.1	12.1	14.5	17.0	24.4	33.1	10.0	
	28	38	44	56	41	36	24	12	8	12		271
40 - 44		14.0	16.2	20.7	15.1	13.3	8.9	4.4	3.0	4.4		.9
		.4	.5	1.0	1.3	2.3	3.3	3.6	4.8	7.9		
	29	1	1	2	4		1	1	1	2		13
45 AND OVER		7.7	7.7	15.4	30.8		7.7	7.7	7.7	15.4		.0
		.0	.0	.0	.1		.1	.3	.6	1.3		
	30	2	3	3		1	1				3	13
NOT STATED		15.4	23.1	23.1		7.7	7.7				23.1	.0
		.0	.0	.1		.1	.1				7.5	
	Column Total	10550	8841	5680	3093	1564	738	330	168	151	40	31155
		33.9	28.4	18.2	9.9	5.0	2.4	1.1	.5	.5	.1	100.0

Number of Missing Observations: 0

AGE OF MOTHER
BY BIRTH WEIGHT
BY RACE

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
12			2	11		13
			15.4	84.6		.0
			.0	.0		
13		4	11	67		82
		4.9	13.4	81.7		.1
		.2	.2	.1		
14		14	45	295		354
		4.0	12.7	83.3		.3
		.8	.6	.3		
15		29	87	777		893
		3.2	9.7	87.0		.9
		1.6	1.2	.8		
16		53	156	1677		1886
		2.8	8.3	88.9		1.9
		3.0	2.2	1.8		
17		75	259	2863	2	3199
		2.3	8.1	89.5	.1	3.2
		4.2	3.7	3.1	4.0	
18		83	385	3671	3	4142
		2.0	9.3	88.6	.1	4.1
		4.6	5.5	4.0	6.0	
19		101	398	4599		5098
		2.0	7.8	90.2		5.0
		5.6	5.7	5.0		
20		76	455	5051	2	5584
		1.4	8.1	90.5	.0	5.5
		4.2	6.5	5.5	4.0	
21		113	412	5248	4	5777
		2.0	7.1	90.8	.1	5.7
		6.3	5.9	5.7	8.0	
22		98	396	5403	3	5900
		1.7	6.7	91.6	.1	5.8
		5.5	5.7	5.8	6.0	
	Column	1790	7003	92553	50	101396
(Continued)	Total	1.8	6.9	91.3	.0	100.0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

BW Page 2 of 2

AGE	Count / Row Pct / Col Pct	UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	23	82	370	5595	4	6051
		1.4	6.1	92.5	.1	6.0
		4.6	5.3	6.0	8.0	
	24	101	353	5318	3	5775
		1.7	6.1	92.1	.1	5.7
		5.6	5.0	5.7	6.0	
	25	452	1634	24929	14	27029
25 - 29		1.7	6.0	92.2	.1	26.7
		25.3	23.3	26.9	28.0	
	26	352	1327	19054	6	20739
30 - 34		1.7	6.4	91.9	.0	20.5
		19.7	18.9	20.6	12.0	
	27	123	609	6948	5	7685
35 - 39		1.6	7.9	90.4	.1	7.6
		6.9	8.7	7.5	10.0	
	28	32	100	986	1	1119
40 - 44		2.9	8.9	88.1	.1	1.1
		1.8	1.4	1.1	2.0	
	29	2	3	39		44
45 AND OVER		4.5	6.8	88.6		.0
		.1	.0	.0		
	30		1	22	3	26
NOT STATED			3.8	84.6	11.5	.0
			.0	.0	6.0	
	Column Total	1790	7003	92553	50	101396
		1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
13		1		18		19
		5.3		94.7		.0
		.1		.0		
14		2	7	86		95
		2.1	7.4	90.5		.1
		.2	.2	.1		
15		6	24	303		333
		1.8	7.2	91.0		.5
		.7	.6	.5		
16		23	61	777		861
		2.7	7.1	90.2		1.2
		2.7	1.6	1.2		
17		26	108	1554	1	1689
		1.5	6.4	92.0	.1	2.4
		3.1	2.8	2.4	3.0	
18		32	176	2131	2	2341
		1.4	7.5	91.0	.1	3.3
		3.8	4.5	3.3	6.1	
19		44	180	2773		2997
		1.5	6.0	92.5		4.3
		5.2	4.6	4.2		
20		25	219	3194	2	3440
		.7	6.4	92.8	.1	4.9
		3.0	5.6	4.9	6.1	
21		59	225	3256	4	3544
		1.7	6.3	91.9	.1	5.0
		7.0	5.8	5.0	12.1	
22		45	200	3595	2	3842
		1.2	5.2	93.6	.1	5.5
		5.4	5.1	5.5	6.1	
23		38	195	3839	3	4075
		.9	4.8	94.2	.1	5.8
		4.5	5.0	5.9	9.1	
	Column	839	3892	65477	33	70241
(Continued)	Total	1.2	5.5	93.2	.0	100.0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BW UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	24	45	194	3734	2	3975
		1.1	4.9	93.9	.1	5.7
		5.4	5.0	5.7	6.1	
25 - 29	25	225	998	18801	9	20033
		1.1	5.0	93.9	.0	28.5
		26.8	25.6	28.7	27.3	
30 - 34	26	181	856	15170	2	16209
		1.1	5.3	93.6	.0	23.1
		21.6	22.0	23.2	6.1	
35 - 39	27	70	383	5439	4	5896
		1.2	6.5	92.2	.1	8.4
		8.3	9.8	8.3	12.1	
40 - 44	28	15	65	767	1	848
		1.8	7.7	90.4	.1	1.2
		1.8	1.7	1.2	3.0	
45 AND OVER	29	2	1	28		31
		6.5	3.2	90.3		.0
		.2	.0	.0		
NOT STATED	30			12	1	13
				92.3	7.7	.0
				.0	3.0	
	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

BW

AGE	Count / Row Pct / Col Pct	UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
12			2	11		13
			15.4	84.6		.0
			.1	.0		
13		3	11	49		63
		4.8	17.5	77.8		.2
		.3	.4	.2		
14		12	38	209		259
		4.6	14.7	80.7		.8
		1.3	1.2	.8		
15		23	63	474		560
		4.1	11.3	84.6		1.8
		2.4	2.0	1.8		
16		30	95	900		1025
		2.9	9.3	87.8		3.3
		3.2	3.1	3.3		
17		49	151	1309	1	1510
		3.2	10.0	86.7	.1	4.8
		5.2	4.9	4.8	5.9	
18		51	209	1540	1	1801
		2.8	11.6	85.5	.1	5.8
		5.4	6.7	5.7	5.9	
19		57	218	1826		2101
		2.7	10.4	86.9		6.7
		6.0	7.0	6.7		
20		51	236	1857		2144
		2.4	11.0	86.6		6.9
		5.4	7.6	6.9		
21		54	187	1992		2233
		2.4	8.4	89.2		7.2
		5.7	6.0	7.4		
22		53	196	1808	1	2058
		2.6	9.5	87.9	.0	6.6
		5.6	6.3	6.7	5.9	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	23	44	175	1756	1	1976
		2.2	8.9	88.9	.1	6.3
		4.6	5.6	6.5	5.9	
	24	56	159	1584	1	1800
		3.1	8.8	88.0	.1	5.8
		5.9	5.1	5.9	5.9	
	25	227	636	6128	5	6996
25 - 29		3.2	9.1	87.6	.1	22.5
		23.9	20.4	22.6	29.4	
	26	171	471	3884	4	4530
30 - 34		3.8	10.4	85.7	.1	14.5
		18.0	15.1	14.3	23.5	
	27	53	226	1509	1	1789
35 - 39		3.0	12.6	84.3	.1	5.7
		5.6	7.3	5.6	5.9	
	28	17	35	219		271
40 - 44		6.3	12.9	80.8		.9
		1.8	1.1	.8		
	29		2	11		13
45 AND OVER			15.4	84.6		.0
			.1	.0		
	30		1	10	2	13
NOT STATED			7.7	76.9	15.4	.0
			.0	.0	11.8	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

Number of Missing Observations: 0

EDUCATION OF MOTHER
BY BIRTH WEIGHT
BY RACE

TABLE 4

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

EDUC	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
1 NONE OR ELEM.	72	322	3436	1	3831
	1.9	8.4	89.7	.0	3.8
	4.0	4.6	3.7	2.0	
2 H.S. 1-3 YEARS	364	1630	15476	8	17478
	2.1	9.3	88.5	.0	17.2
	20.3	23.3	16.7	16.0	
3 H.S. 4 YEARS	748	2686	33859	10	37303
	2.0	7.2	90.8	.0	36.8
	41.8	38.4	36.6	20.0	
4 COL.1-3 YEARS	332	1329	20606	10	22277
	1.5	6.0	92.5	.0	22.0
	18.5	19.0	22.3	20.0	
5 COL. 4+ YEARS	258	1026	19031	3	20318
	1.3	5.0	93.7	.0	20.0
	14.4	14.7	20.6	6.0	
6 NOT STATED	16	10	145	18	189
	8.5	5.3	76.7	9.5	.2
	.9	.1	.2	36.0	
Column Total	1790	7003	92553	50	101396
	1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

EDUC	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
1 NONE OR ELEM.	32	195	2490	1	2718
Row Pct	1.2	7.2	91.6	.0	3.9
Col Pct	3.8	5.0	3.8	3.0	
2 H.S. 1-3 YEARS	144	754	9242	6	10146
Row Pct	1.4	7.4	91.1	.1	14.4
Col Pct	17.2	19.4	14.1	18.2	
3 H.S. 4 YEARS	330	1363	22304	5	24002
Row Pct	1.4	5.7	92.9	.0	34.2
Col Pct	39.3	35.0	34.1	15.2	
4 COL.1-3 YEARS	156	789	15092	6	16043
Row Pct	1.0	4.9	94.1	.0	22.8
Col Pct	18.6	20.3	23.0	18.2	
5 COL. 4+ YEARS	169	785	16252	2	17208
Row Pct	1.0	4.6	94.4	.0	24.5
Col Pct	20.1	20.2	24.8	6.1	
6 NOT STATED	8	6	97	13	124
Row Pct	6.5	4.8	78.2	10.5	.2
Col Pct	1.0	.2	.1	39.4	
Column Total	839	3892	65477	33	70241
	1.2	5.5	93.2	.0	100.0

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

EDUC	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
1 NONE OR ELEM.	40	127	946		1113
	3.6	11.4	85.0		3.6
	4.2	4.1	3.5		
2 H.S. 1-3 YEARS	220	876	6234	2	7332
	3.0	11.9	85.0	.0	23.5
	23.1	28.2	23.0	11.8	
3 H.S. 4 YEARS	418	1323	11555	5	13301
	3.1	9.9	86.9	.0	42.7
	44.0	42.5	42.7	29.4	
4 COL.1-3 YEARS	176	540	5514	4	6234
	2.8	8.7	88.5	.1	20.0
	18.5	17.4	20.4	23.5	
5 COL. 4+ YEARS	89	241	2779	1	3110
	2.9	7.7	89.4	.0	10.0
	9.4	7.7	10.3	5.9	
6 NOT STATED	8	4	48	5	65
	12.3	6.2	73.8	7.7	.2
	.8	.1	.2	29.4	
Column Total	951	3111	27076	17	31155
	3.1	10.0	86.9	.1	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY EDUCATION OF MOTHER
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	89	424	491	170	42	15	1231
		7.2	34.4	39.9	13.8	3.4	1.2	1.2
		2.3	2.4	1.3	.8	.2	7.9	
FIRST MONTH	1	363	1925	6430	4973	6327	25	20043
		1.8	9.6	32.1	24.8	31.6	.1	19.8
		9.5	11.0	17.2	22.3	31.1	13.2	
SECOND MONTH	2	1097	5977	15786	10642	10604	45	44151
		2.5	13.5	35.8	24.1	24.0	.1	43.5
		28.6	34.2	42.3	47.8	52.2	23.8	
THIRD MONTH	3	799	3812	7572	3859	2435	24	18501
		4.3	20.6	40.9	20.9	13.2	.1	18.2
		20.9	21.8	20.3	17.3	12.0	12.7	
FOURTH MONTH	4	512	2216	3188	1317	506	11	7750
		6.6	28.6	41.1	17.0	6.5	.1	7.6
		13.4	12.7	8.5	5.9	2.5	5.8	
FIFTH MONTH	5	356	1321	1737	641	200	7	4262
		8.4	31.0	40.8	15.0	4.7	.2	4.2
		9.3	7.6	4.7	2.9	1.0	3.7	
SIXTH MONTH	6	243	831	974	308	82	6	2444
		9.9	34.0	39.9	12.6	3.4	.2	2.4
		6.3	4.8	2.6	1.4	.4	3.2	
SEVENTH MONTH	7	175	509	571	170	44	7	1476
		11.9	34.5	38.7	11.5	3.0	.5	1.5
		4.6	2.9	1.5	.8	.2	3.7	
EIGHTH MONTH	8	111	275	290	91	25	5	797
		13.9	34.5	36.4	11.4	3.1	.6	.8
		2.9	1.6	.8	.4	.1	2.6	
NINTH MONTH	9	38	84	112	52	15	7	308
		12.3	27.3	36.4	16.9	4.9	2.3	.3
		1.0	.5	.3	.2	.1	3.7	
NOT STATED	10	48	104	152	54	38	37	433
		11.1	24.0	35.1	12.5	8.8	8.5	.4
		1.3	.6	.4	.2	.2	19.6	
	Column Total	3831	17478	37303	22277	20318	189	101396
		3.8	17.2	36.8	22.0	20.0	.2	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
0 NONE	52	129	157	71	31	9	449
	11.6	28.7	35.0	15.8	6.9	2.0	.6
	1.9	1.3	.7	.4	.2	7.3	
1 FIRST MONTH	282	1239	4709	3899	5537	17	15683
	1.8	7.9	30.0	24.9	35.3	.1	22.3
	10.4	12.2	19.6	24.3	32.2	13.7	
2 SECOND MONTH	843	4011	11216	8185	9106	38	33399
	2.5	12.0	33.6	24.5	27.3	.1	47.5
	31.0	39.5	46.7	51.0	52.9	30.6	
3 THIRD MONTH	583	2281	4692	2597	1940	15	12108
	4.8	18.8	38.8	21.4	16.0	.1	17.2
	21.4	22.5	19.5	16.2	11.3	12.1	
4 FOURTH MONTH	342	1158	1645	716	343	3	4207
	8.1	27.5	39.1	17.0	8.2	.1	6.0
	12.6	11.4	6.9	4.5	2.0	2.4	
5 FIFTH MONTH	228	595	725	286	128	3	1965
	11.6	30.3	36.9	14.6	6.5	.2	2.8
	8.4	5.9	3.0	1.8	.7	2.4	
6 SIXTH MONTH	146	352	377	132	48	3	1058
	13.8	33.3	35.6	12.5	4.5	.3	1.5
	5.4	3.5	1.6	.8	.3	2.4	
7 SEVENTH MONTH	117	197	229	69	20	5	637
	18.4	30.9	35.9	10.8	3.1	.8	.9
	4.3	1.9	1.0	.4	.1	4.0	
8 EIGHTH MONTH	65	102	115	40	15	3	340
	19.1	30.0	33.8	11.8	4.4	.9	.5
	2.4	1.0	.5	.2	.1	2.4	
9 NINTH MONTH	24	32	48	24	8	4	140
	17.1	22.9	34.3	17.1	5.7	2.9	.2
	.9	.3	.2	.1	.0	3.2	
10 NOT STATED	36	50	89	24	32	24	255
	14.1	19.6	34.9	9.4	12.5	9.4	.4
	1.3	.5	.4	.1	.2	19.4	
Column Total	2718	10146	24002	16043	17208	124	70241
	3.9	14.4	34.2	22.8	24.5	.2	100.0

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	37 4.7 3.3	295 37.7 4.0	334 42.7 2.5	99 12.7 1.6	11 1.4 .4	6 .8 9.2	782 2.5
FIRST MONTH	1	81 1.9 7.3	686 15.7 9.4	1721 39.5 12.9	1074 24.6 17.2	790 18.1 25.4	8 .2 12.3	4360 14.0
SECOND MONTH	2	254 2.4 22.8	1966 18.3 26.8	4570 42.5 34.4	2457 22.9 39.4	1498 13.9 48.2	7 .1 10.8	10752 34.5
THIRD MONTH	3	216 3.4 19.4	1531 23.9 20.9	2880 45.0 21.7	1262 19.7 20.2	495 7.7 15.9	9 .1 13.8	6393 20.5
FOURTH MONTH	4	170 4.8 15.3	1058 29.9 14.4	1543 43.6 11.6	601 17.0 9.6	163 4.6 5.2	8 .2 12.3	3543 11.4
FIFTH MONTH	5	128 5.6 11.5	726 31.6 9.9	1012 44.1 7.6	355 15.5 5.7	72 3.1 2.3	4 .2 6.2	2297 7.4
SIXTH MONTH	6	97 7.0 8.7	479 34.6 6.5	597 43.1 4.5	176 12.7 2.8	34 2.5 1.1	3 .2 4.6	1386 4.4
SEVENTH MONTH	7	58 6.9 5.2	312 37.2 4.3	342 40.8 2.6	101 12.0 1.6	24 2.9 .8	2 .2 3.1	839 2.7
EIGHTH MONTH	8	46 10.1 4.1	173 37.9 2.4	175 38.3 1.3	51 11.2 .8	10 2.2 .3	2 .4 3.1	457 1.5
NINTH MONTH	9	14 8.3 1.3	52 31.0 .7	64 38.1 .5	28 16.7 .4	7 4.2 .2	3 1.8 4.6	168 .5
NOT STATED	10	12 6.7 1.1	54 30.3 .7	63 35.4 .5	30 16.9 .5	6 3.4 .2	13 7.3 20.0	178 .6
	Column Total	1113 3.6	7332 23.5	13301 42.7	6234 20.0	3110 10.0	65 .2	31155 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY AGE OF MOTHER
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
0 NONE — Count		3	13	37	40	73	67	96	75	92	83	1231
Row Pct		.2	1.1	3.0	3.2	5.9	5.4	7.8	6.1	7.5	6.7	1.2
Col Pct		3.7	3.7	4.1	2.1	2.3	1.6	1.9	1.3	1.6	1.4	
1 FIRST MONTH — Count		3	26	65	153	324	469	601	710	822	928	20043
Row Pct		.0	.1	.3	.8	1.6	2.3	3.0	3.5	4.1	4.6	19.8
Col Pct		3.7	7.3	7.3	8.1	10.1	11.3	11.8	12.7	14.2	15.7	
2 SECOND MONTH — Count	1	16	78	210	554	1052	1346	1785	2038	2206	2406	44151
Row Pct	.0	.0	.2	.5	1.3	2.4	3.0	4.0	4.6	5.0	5.4	43.5
Col Pct	7.7	19.5	22.0	23.5	29.4	32.9	32.5	35.0	36.5	38.2	40.8	
3 THIRD MONTH — Count	3	10	67	192	423	707	947	1173	1258	1255	1200	18501
Row Pct	.0	.1	.4	1.0	2.3	3.8	5.1	6.3	6.8	6.8	6.5	18.2
Col Pct	23.1	12.2	18.9	21.5	22.4	22.1	22.9	23.0	22.5	21.7	20.3	
4 FOURTH MONTH — Count	2	11	54	138	298	430	538	595	654	612	549	7750
Row Pct	.0	.1	.7	1.8	3.8	5.5	6.9	7.7	8.4	7.9	7.1	7.6
Col Pct	15.4	13.4	15.3	15.5	15.8	13.4	13.0	11.7	11.7	10.6	9.3	
5 FIFTH MONTH — Count	1	14	38	115	188	276	339	369	347	343	328	4262
Row Pct	.0	.3	.9	2.7	4.4	6.5	8.0	8.7	8.1	8.0	7.7	4.2
Col Pct	7.7	17.1	10.7	12.9	10.0	8.6	8.2	7.2	6.2	5.9	5.6	
6 SIXTH MONTH — Count	3	12	31	68	120	139	212	222	217	204	185	2444
Row Pct	.1	.5	1.3	2.8	4.9	5.7	8.7	9.1	8.9	8.3	7.6	2.4
Col Pct	23.1	14.6	8.8	7.6	6.4	4.3	5.1	4.4	3.9	3.5	3.1	
7 SEVENTH MONTH — Count		6	23	38	58	102	124	137	149	129	104	1476
Row Pct		.4	1.6	2.6	3.9	6.9	8.4	9.3	10.1	8.7	7.0	1.5
Col Pct		7.3	6.5	4.3	3.1	3.2	3.0	2.7	2.7	2.2	1.8	
8 EIGHTH MONTH — Count	3	4	14	21	38	55	56	70	74	60	63	797
Row Pct	.4	.5	1.8	2.6	4.8	6.9	7.0	8.8	9.3	7.5	7.9	.8
Col Pct	23.1	4.9	4.0	2.4	2.0	1.7	1.4	1.4	1.3	1.0	1.1	
9 NINTH MONTH — Count			5	3	7	20	22	21	25	28	26	308
Row Pct			1.6	1.0	2.3	6.5	7.1	6.8	8.1	9.1	8.4	.3
Col Pct			1.4	.3	.4	.6	.5	.4	.4	.5	.4	
10 NOT STATED — Count		3	5	6	7	21	22	29	37	26	28	433
Row Pct		.7	1.2	1.4	1.6	4.8	5.1	6.7	8.5	6.0	6.5	.4
Col Pct		3.7	1.4	.7	.4	.7	.5	.6	.7	.5	.5	
Column Total	13	82	354	893	1886	3199	4142	5098	5584	5777	5900	101396
	.0	.1	.3	.9	1.9	3.2	4.1	5.0	5.5	5.7	5.8	100.0

(Continued)

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	69 5.6 1.1	70 5.7 1.2	258 21.0 1.0	166 13.5 .8	71 5.8 .9	14 1.1 1.3	2 .2 4.5	2 .2 7.7	1231 1.2
FIRST MONTH	1	1039 5.2 17.2	1067 5.3 18.5	6229 31.1 23.0	5335 26.6 25.7	1974 9.8 25.7	288 1.4 25.7	8 .0 18.2	2 .0 7.7	20043 19.8
SECOND MONTH	2	2598 5.9 42.9	2566 5.8 44.4	12827 29.1 47.5	10259 23.2 49.5	3673 8.3 47.8	507 1.1 45.3	21 .0 47.7	8 .0 30.8	44151 43.5
THIRD MONTH	3	1193 6.4 19.7	1101 6.0 19.1	4517 24.4 16.7	3075 16.6 14.8	1192 6.4 15.5	177 1.0 15.8	6 .0 13.6	5 .0 19.2	18501 18.2
FOURTH MONTH	4	515 6.6 8.5	434 5.6 7.5	1542 19.9 5.7	939 12.1 4.5	370 4.8 4.8	64 .8 5.7	2 .0 4.5	3 .0 11.5	7750 7.6
FIFTH MONTH	5	292 6.9 4.8	258 6.1 4.5	720 16.9 2.7	414 9.7 2.0	196 4.6 2.6	21 .5 1.9	2 .0 4.5	1 .0 3.8	4262 4.2
SIXTH MONTH	6	159 6.5 2.6	131 5.4 2.3	416 17.0 1.5	221 9.0 1.1	84 3.4 1.1	19 .8 1.7	1 .0 2.3		2444 2.4
SEVENTH MONTH	7	94 6.4 1.6	59 4.0 1.0	236 16.0 .9	150 10.2 .7	51 3.5 .7	15 1.0 1.3	1 .1 2.3		1476 1.5
EIGHTH MONTH	8	44 5.5 .7	40 5.0 .7	132 16.6 .5	79 9.9 .4	36 4.5 .5	6 .8 .5	1 .1 2.3	1 .1 3.8	797 .8
NINTH MONTH	9	19 6.2 .3	16 5.2 .3	56 18.2 .2	44 14.3 .2	10 3.2 .1	6 1.9 .5			308 .3
NOT STATED	10	29 6.7 .5	33 7.6 .6	96 22.2 .4	57 13.2 .3	28 6.5 .4	2 .5 .2		4 .9 15.4	433 .4
	Column Total	6051 6.0	5775 5.7	27029 26.7	20739 20.5	7685 7.6	1119 1.1	44 .0	26 .0	101396 100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB (Count / Row Pct / Col Pct)	AGE 13	14	15	16	17	18	19	20	21	22	23	Row Total
0 NONE		3	12	19	32	30	33	34	28	28	20	449
		.7	2.7	4.2	7.1	6.7	7.3	7.6	6.2	6.2	4.5	.6
		3.2	3.6	2.2	1.9	1.3	1.1	1.0	.8	.7	.5	
1 FIRST MONTH	1	11	28	77	186	284	383	483	541	663	779	15683
	.0	.1	.2	.5	1.2	1.8	2.4	3.1	3.4	4.2	5.0	22.3
	5.3	11.6	8.4	8.9	11.0	12.1	12.8	14.0	15.3	17.3	19.1	
2 SECOND MONTH	6	19	100	294	644	830	1183	1369	1503	1712	1897	33399
	.0	.1	.3	.9	1.9	2.5	3.5	4.1	4.5	5.1	5.7	47.5
	31.6	20.0	30.0	34.1	38.1	35.5	39.5	39.8	42.4	44.6	46.6	
3 THIRD MONTH	2	19	79	190	378	581	727	788	780	783	786	12108
	.0	.2	.7	1.6	3.1	4.8	6.0	6.5	6.4	6.5	6.5	17.2
	10.5	20.0	23.7	22.1	22.4	24.8	24.3	22.9	22.0	20.4	19.3	
4 FOURTH MONTH	3	17	46	113	201	278	317	365	328	304	305	4207
	.1	.4	1.1	2.7	4.8	6.6	7.5	8.7	7.8	7.2	7.2	6.0
	15.8	17.9	13.8	13.1	11.9	11.9	10.6	10.6	9.3	7.9	7.5	
5 FIFTH MONTH	3	7	27	82	109	138	161	170	154	163	129	1965
	.2	.4	1.4	4.2	5.5	7.0	8.2	8.7	7.8	8.3	6.6	2.8
	15.8	7.4	8.1	9.5	6.5	5.9	5.4	4.9	4.3	4.2	3.2	
6 SIXTH MONTH	1	10	24	49	48	93	82	100	103	94	62	1058
	.1	.9	2.3	4.6	4.5	8.8	7.8	9.5	9.7	8.9	5.9	1.5
	5.3	10.5	7.2	5.7	2.8	4.0	2.7	2.9	2.9	2.4	1.5	
7 SEVENTH MONTH	3	3	12	21	46	55	58	62	48	46	51	637
	.5	.5	1.9	3.3	7.2	8.6	9.1	9.7	7.5	7.2	8.0	.9
	15.8	3.2	3.6	2.4	2.7	2.3	1.9	1.8	1.4	1.2	1.3	
8 EIGHTH MONTH		3	4	8	26	35	30	30	26	25	22	340
		.9	1.2	2.4	7.6	10.3	8.8	8.8	7.6	7.4	6.5	.5
		3.2	1.2	.9	1.5	1.5	1.0	.9	.7	.7	.5	
9 NINTH MONTH		1		2	8	10	10	14	19	11	5	140
		.7		1.4	5.7	7.1	7.1	10.0	13.6	7.9	3.6	.2
		1.1		.2	.5	.4	.3	.4	.5	.3	.1	
10 NOT STATED		2	1	6	11	7	13	25	14	13	19	255
		.8	.4	2.4	4.3	2.7	5.1	9.8	5.5	5.1	7.5	.4
		2.1	.3	.7	.7	.3	.4	.7	.4	.3	.5	
Column Total	19	95	333	861	1689	2341	2997	3440	3544	3842	4075	70241
	.0	.1	.5	1.2	2.4	3.3	4.3	4.9	5.0	5.5	5.8	100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	AGE (Count / Row Pct / Col Pct)	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	34	87	52	32	4		1	449
		7.6	19.4	11.6	7.1	.9		.2	.6
		.9	.4	.3	.5	.5		7.7	
FIRST MONTH	1	797	5021	4511	1671	241	5	1	15683
		5.1	32.0	28.8	10.7	1.5	.0	.0	22.3
		20.1	25.1	27.8	28.3	28.4	16.1	7.7	
SECOND MONTH	2	1915	10141	8380	2979	401	21	5	33399
		5.7	30.4	25.1	8.9	1.2	.1	.0	47.5
		48.2	50.6	51.7	50.5	47.3	67.7	38.5	
THIRD MONTH	3	735	3074	2225	832	126	1	2	12108
		6.1	25.4	18.4	6.9	1.0	.0	.0	17.2
		18.5	15.3	13.7	14.1	14.9	3.2	15.4	
FOURTH MONTH	4	241	883	561	205	38	1	1	4207
		5.7	21.0	13.3	4.9	.9	.0	.0	6.0
		6.1	4.4	3.5	3.5	4.5	3.2	7.7	
FIFTH MONTH	5	133	379	203	89	16	1	1	1965
		6.8	19.3	10.3	4.5	.8	.1	.1	2.8
		3.3	1.9	1.3	1.5	1.9	3.2	7.7	
SIXTH MONTH	6	56	190	101	35	9	1		1058
		5.3	18.0	9.5	3.3	.9	.1		1.5
		1.4	.9	.6	.6	1.1	3.2		
SEVENTH MONTH	7	26	99	84	15	7	1		637
		4.1	15.5	13.2	2.4	1.1	.2		.9
		.7	.5	.5	.3	.8	3.2		
EIGHTH MONTH	8	15	62	34	16	3		1	340
		4.4	18.2	10.0	4.7	.9		.3	.5
		.4	.3	.2	.3	.4		7.7	
NINTH MONTH	9	6	27	21	5	1			140
		4.3	19.3	15.0	3.6	.7			.2
		.2	.1	.1	.1	.1			
NOT STATED	10	17	70	37	17	2		1	255
		6.7	27.5	14.5	6.7	.8		.4	.4
		.4	.3	.2	.3	.2		7.7	
	Column Total	3975	20033	16209	5896	848	31	13	70241
		5.7	28.5	23.1	8.4	1.2	.0	.0	100.0

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB (Count / Row Pct / Col Pct)	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
0 NONE		3	10	25	21	41	37	63	41	64	55	782
		.4	1.3	3.2	2.7	5.2	4.7	8.1	5.2	8.2	7.0	2.5
		4.8	3.9	4.5	2.0	2.7	2.1	3.0	1.9	2.9	2.7	
1 FIRST MONTH		2	15	37	76	138	185	218	227	281	265	4360
		.0	.3	.8	1.7	3.2	4.2	5.0	5.2	6.4	6.1	14.0
		3.2	5.8	6.6	7.4	9.1	10.3	10.4	10.6	12.6	12.9	
2 SECOND MONTH	1	10	59	110	260	408	516	602	669	703	694	10752
	.0	.1	.5	1.0	2.4	3.8	4.8	5.6	6.2	6.5	6.5	34.5
	7.7	15.9	22.8	19.6	25.4	27.0	28.7	28.7	31.2	31.5	33.7	
3 THIRD MONTH	3	8	48	113	233	329	366	446	470	475	417	6393
	.0	.1	.8	1.8	3.6	5.1	5.7	7.0	7.4	7.4	6.5	20.5
	23.1	12.7	18.5	20.2	22.7	21.8	20.3	21.2	21.9	21.3	20.3	
4 FOURTH MONTH	2	8	37	92	185	229	260	278	289	284	245	3543
	.1	.2	1.0	2.6	5.2	6.5	7.3	7.8	8.2	8.0	6.9	11.4
	15.4	12.7	14.3	16.4	18.0	15.2	14.4	13.2	13.5	12.7	11.9	
5 FIFTH MONTH	1	11	31	88	106	167	201	208	177	189	165	2297
	.0	.5	1.3	3.8	4.6	7.3	8.8	9.1	7.7	8.2	7.2	7.4
	7.7	17.5	12.0	15.7	10.3	11.1	11.2	9.9	8.3	8.5	8.0	
6 SIXTH MONTH	3	11	21	44	71	91	119	140	117	101	91	1386
	.2	.8	1.5	3.2	5.1	6.6	8.6	10.1	8.4	7.3	6.6	4.4
	23.1	17.5	8.1	7.9	6.9	6.0	6.6	6.7	5.5	4.5	4.4	
7 SEVENTH MONTH		3	20	26	37	56	69	79	87	81	58	839
		.4	2.4	3.1	4.4	6.7	8.2	9.4	10.4	9.7	6.9	2.7
		4.8	7.7	4.6	3.6	3.7	3.8	3.8	4.1	3.6	2.8	
8 EIGHTH MONTH	3	4	11	17	30	29	21	40	44	34	38	457
	.7	.9	2.4	3.7	6.6	6.3	4.6	8.8	9.6	7.4	8.3	1.5
	23.1	6.3	4.2	3.0	2.9	1.9	1.2	1.9	2.1	1.5	1.8	
9 NINTH MONTH			4	3	5	12	12	11	11	9	15	168
			2.4	1.8	3.0	7.1	7.1	6.5	6.5	5.4	8.9	.5
			1.5	.5	.5	.8	.7	.5	.5	.4	.7	
10 NOT STATED		3	3	5	1	10	15	16	12	12	15	178
		1.7	1.7	2.8	.6	5.6	8.4	9.0	6.7	6.7	8.4	.6
		4.8	1.2	.9	.1	.7	.8	.8	.6	.5	.7	
Column Total	13	63	259	560	1025	1510	1801	2101	2144	2233	2058	31155
	.0	.2	.8	1.8	3.3	4.8	5.8	6.7	6.9	7.2	6.6	100.0

(Continued)

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

MPCB	AGE: 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
0 NONE	49 6.3 2.5	36 4.6 2.0	171 21.9 2.4	114 14.6 2.5	39 5.0 2.2	10 1.3 3.7	2 .3 15.4	1 .1 7.7	782 2.5
1 FIRST MONTH	260 6.0 13.2	270 6.2 15.0	1208 27.7 17.3	824 18.9 18.2	303 6.9 16.9	47 1.1 17.3	3 .1 23.1	1 .0 7.7	4360 14.0
2 SECOND MONTH	701 6.5 35.5	651 6.1 36.2	2686 25.0 38.4	1879 17.5 41.5	694 6.5 38.8	106 1.0 39.1		3 .0 23.1	10752 34.5
3 THIRD MONTH	407 6.4 20.6	366 5.7 20.3	1443 22.6 20.6	850 13.3 18.8	360 5.6 20.1	51 .8 18.8	5 .1 38.5	3 .0 23.1	6393 20.5
4 FOURTH MONTH	210 5.9 10.6	193 5.4 10.7	659 18.6 9.4	378 10.7 8.3	165 4.7 9.2	26 .7 9.6	1 .0 7.7	2 .1 15.4	3543 11.4
5 FIFTH MONTH	163 7.1 8.2	125 5.4 6.9	341 14.8 4.9	211 9.2 4.7	107 4.7 6.0	5 .2 1.8	1 .0 7.7		2297 7.4
6 SIXTH MONTH	97 7.0 4.9	75 5.4 4.2	226 16.3 3.2	120 8.7 2.6	49 3.5 2.7	10 .7 3.7			1386 4.4
7 SEVENTH MONTH	43 5.1 2.2	33 3.9 1.8	137 16.3 2.0	66 7.9 1.5	36 4.3 2.0	8 1.0 3.0			839 2.7
8 EIGHTH MONTH	22 4.8 1.1	25 5.5 1.4	70 15.3 1.0	45 9.8 1.0	20 4.4 1.1	3 .7 1.1	1 .2 7.7		457 1.5
9 NINTH MONTH	14 8.3 .7	10 6.0 .6	29 17.3 .4	23 13.7 .5	5 3.0 .3	5 3.0 1.8			168 .5
10 NOT STATED	10 5.6 .5	16 9.0 .9	26 14.6 .4	20 11.2 .4	11 6.2 .6			3 1.7 23.1	178 .6
Column Total	1976 6.3	1800 5.8	6996 22.5	4530 14.5	1789 5.7	271 .9	13 .0	13 .0	31155 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY MARITAL STATUS
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
0 NONE	281	950		1231
	22.8	77.2		1.2
	.4	2.9		
1 FIRST MONTH	16553	3489	1	20043
	82.6	17.4	.0	19.8
	24.0	10.8	2.0	
2 SECOND MONTH	33588	10548	15	44151
	76.1	23.9	.0	43.5
	48.6	32.7	30.6	
3 THIRD MONTH	11582	6910	9	18501
	62.6	37.3	.0	18.2
	16.8	21.4	18.4	
4 FOURTH MONTH	3637	4109	4	7750
	46.9	53.0	.1	7.6
	5.3	12.7	8.2	
5 FIFTH MONTH	1577	2682	3	4262
	37.0	62.9	.1	4.2
	2.3	8.3	6.1	
6 SIXTH MONTH	796	1646	2	2444
	32.6	67.3	.1	2.4
	1.2	5.1	4.1	
7 SEVENTH MONTH	464	1010	2	1476
	31.4	68.4	.1	1.5
	.7	3.1	4.1	
8 EIGHTH MONTH	238	558	1	797
	29.9	70.0	.1	.8
	.3	1.7	2.0	
9 NINTH MONTH	126	182		308
	40.9	59.1		.3
	.2	.6		
10 NOT STATED	201	220	12	433
	46.4	50.8	2.8	.4
	.3	.7	24.5	
Column Total	69043	32304	49	101396
	68.1	31.9	.0	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

MPCB	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
0 NONE	190	259		449
	42.3	57.7		.6
	.3	2.1		
1 FIRST MONTH	14289	1394		15683
	91.1	8.9		22.3
	24.7	11.2		
2 SECOND MONTH	28825	4561	13	33399
	86.3	13.7	.0	47.5
	49.9	36.8	36.1	
3 THIRD MONTH	9382	2718	8	12108
	77.5	22.4	.1	17.2
	16.2	21.9	22.2	
4 FOURTH MONTH	2719	1486	2	4207
	64.6	35.3	.0	6.0
	4.7	12.0	5.6	
5 FIFTH MONTH	1129	833	3	1965
	57.5	42.4	.2	2.8
	2.0	6.7	8.3	
6 SIXTH MONTH	553	503	2	1058
	52.3	47.5	.2	1.5
	1.0	4.1	5.6	
7 SEVENTH MONTH	314	321	2	637
	49.3	50.4	.3	.9
	.5	2.6	5.6	
8 EIGHTH MONTH	172	167	1	340
	50.6	49.1	.3	.5
	.3	1.3	2.8	
9 NINTH MONTH	81	59		140
	57.9	42.1		.2
	.1	.5		
10 NOT STATED	159	91	5	255
	62.4	35.7	2.0	.4
	.3	.7	13.9	
Column Total	57813	12392	36	70241
	82.3	17.6	.1	100.0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
0 NONE	91	691		782
	11.6	88.4		2.5
	.8	3.5		
1 FIRST MONTH	2264	2095	1	4360
	51.9	48.1	.0	14.0
	20.2	10.5	7.7	
2 SECOND MONTH	4763	5987	2	10752
	44.3	55.7	.0	34.5
	42.4	30.1	15.4	
3 THIRD MONTH	2200	4192	1	6393
	34.4	65.6	.0	20.5
	19.6	21.1	7.7	
4 FOURTH MONTH	918	2623	2	3543
	25.9	74.0	.1	11.4
	8.2	13.2	15.4	
5 FIFTH MONTH	448	1849		2297
	19.5	80.5		7.4
	4.0	9.3		
6 SIXTH MONTH	243	1143		1386
	17.5	82.5		4.4
	2.2	5.7		
7 SEVENTH MONTH	150	689		839
	17.9	82.1		2.7
	1.3	3.5		
8 EIGHTH MONTH	66	391		457
	14.4	85.6		1.5
	.6	2.0		
9 NINTH MONTH	45	123		168
	26.8	73.2		.5
	.4	.6		
10 NOT STATED	42	129	7	178
	23.6	72.5	3.9	.6
	.4	.6	53.8	
Column Total	11230	19912	13	31155
	36.0	63.9	.0	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY BIRTH ORDER
BY RACE

TABLE 8

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	319	293	216	164	91	69	25	20	26	8	1231
		25.9	23.8	17.5	13.3	7.4	5.6	2.0	1.6	2.1	.6	1.2
		.9	.9	1.2	2.0	2.4	4.3	3.6	6.0	8.1	6.2	
FIRST MONTH	1	7377	6550	3564	1440	631	262	113	54	31	21	20043
		36.8	32.7	17.8	7.2	3.1	1.3	.6	.3	.2	.1	19.8
		20.0	20.8	20.0	17.3	16.9	16.3	16.3	16.2	9.7	16.3	
SECOND MONTH	2	16435	14290	7690	3368	1388	534	223	94	100	29	44151
		37.2	32.4	17.4	7.6	3.1	1.2	.5	.2	.2	.1	43.5
		44.6	45.3	43.1	40.5	37.1	33.2	32.1	28.2	31.3	22.5	
THIRD MONTH	3	6783	5668	3202	1572	718	300	127	60	57	14	18501
		36.7	30.6	17.3	8.5	3.9	1.6	.7	.3	.3	.1	18.2
		18.4	18.0	18.0	18.9	19.2	18.7	18.3	18.0	17.8	10.9	
FOURTH MONTH	4	2751	2181	1361	749	345	186	84	42	45	6	7750
		35.5	28.1	17.6	9.7	4.5	2.4	1.1	.5	.6	.1	7.6
		7.5	6.9	7.6	9.0	9.2	11.6	12.1	12.6	14.1	4.7	
FIFTH MONTH	5	1488	1123	792	431	245	96	43	18	23	3	4262
		34.9	26.3	18.6	10.1	5.7	2.3	1.0	.4	.5	.1	4.2
		4.0	3.6	4.4	5.2	6.5	6.0	6.2	5.4	7.2	2.3	
SIXTH MONTH	6	835	622	430	259	160	72	31	18	15	2	2444
		34.2	25.5	17.6	10.6	6.5	2.9	1.3	.7	.6	.1	2.4
		2.3	2.0	2.4	3.1	4.3	4.5	4.5	5.4	4.7	1.6	
SEVENTH MONTH	7	465	374	263	180	93	50	22	12	12	5	1476
		31.5	25.3	17.8	12.2	6.3	3.4	1.5	.8	.8	.3	1.5
		1.3	1.2	1.5	2.2	2.5	3.1	3.2	3.6	3.8	3.9	
EIGHTH MONTH	8	234	231	149	80	44	27	15	11	6		797
		29.4	29.0	18.7	10.0	5.5	3.4	1.9	1.4	.8		.8
		.6	.7	.8	1.0	1.2	1.7	2.2	3.3	1.9		
NINTH MONTH	9	81	91	70	29	16	4	6	2	3	6	308
		26.3	29.5	22.7	9.4	5.2	1.3	1.9	.6	1.0	1.9	.3
		.2	.3	.4	.3	.4	.2	.9	.6	.9	4.7	
NOT STATED	10	114	119	92	45	11	8	5	2	2	35	433
		26.3	27.5	21.2	10.4	2.5	1.8	1.2	.5	.5	8.1	.4
		.3	.4	.5	.5	.3	.5	.7	.6	.6	27.1	
	Column Total	36882	31542	17829	8317	3742	1608	694	333	320	129	101396
		36.4	31.1	17.6	8.2	3.7	1.6	.7	.3	.3	.1	100.0

Number of Missing Observations: 0

TABLE 8

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

MPCB	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
0 NONE	164	115	66	46	21	18	6	3	8	2	449
	36.5	25.6	14.7	10.2	4.7	4.0	1.3	.7	1.8	.4	.6
	.6	.5	.5	.9	1.0	2.1	1.6	1.8	4.7	2.2	
1 FIRST MONTH	5905	5258	2725	1058	433	165	67	28	25	19	15683
	37.7	33.5	17.4	6.7	2.8	1.1	.4	.2	.2	.1	22.3
	22.4	23.2	22.4	20.3	19.9	19.0	18.4	17.0	14.8	21.3	
2 SECOND MONTH	12701	11011	5719	2384	942	353	142	61	63	23	33399
	38.0	33.0	17.1	7.1	2.8	1.1	.4	.2	.2	.1	47.5
	48.2	48.5	47.1	45.6	43.3	40.6	39.0	37.0	37.3	25.8	
3 THIRD MONTH	4506	3847	2093	959	413	162	65	27	27	9	12108
	37.2	31.8	17.3	7.9	3.4	1.3	.5	.2	.2	.1	17.2
	17.1	16.9	17.2	18.4	19.0	18.6	17.9	16.4	16.0	10.1	
4 FOURTH MONTH	1517	1255	733	372	162	80	41	21	23	3	4207
	36.1	29.8	17.4	8.8	3.9	1.9	1.0	.5	.5	.1	6.0
	5.8	5.5	6.0	7.1	7.4	9.2	11.3	12.7	13.6	3.4	
5 FIFTH MONTH	696	547	385	170	94	36	17	7	11	2	1965
	35.4	27.8	19.6	8.7	4.8	1.8	.9	.4	.6	.1	2.8
	2.6	2.4	3.2	3.3	4.3	4.1	4.7	4.2	6.5	2.2	
6 SIXTH MONTH	396	287	177	94	55	27	9	9	3	1	1058
	37.4	27.1	16.7	8.9	5.2	2.6	.9	.9	.3	.1	1.5
	1.5	1.3	1.5	1.8	2.5	3.1	2.5	5.5	1.8	1.1	
7 SEVENTH MONTH	225	154	111	77	34	18	8	3	4	3	637
	35.3	24.2	17.4	12.1	5.3	2.8	1.3	.5	.6	.5	.9
	.9	.7	.9	1.5	1.6	2.1	2.2	1.8	2.4	3.4	
8 EIGHTH MONTH	119	104	51	33	15	6	4	5	3		340
	35.0	30.6	15.0	9.7	4.4	1.8	1.2	1.5	.9		.5
	.5	.5	.4	.6	.7	.7	1.1	3.0	1.8		
9 NINTH MONTH	42	51	26	9	3	1	3		1	4	140
	30.0	36.4	18.6	6.4	2.1	.7	2.1		.7	2.9	.2
	.2	.2	.2	.2	.1	.1	.8		.6	4.5	
10 NOT STATED	61	72	63	22	6	4	2	1	1	23	255
	23.9	28.2	24.7	8.6	2.4	1.6	.8	.4	.4	9.0	.4
	.2	.3	.5	.4	.3	.5	.5	.6	.6	25.8	
Column Total	26332	22701	12149	5224	2178	870	364	165	169	89	70241
	37.5	32.3	17.3	7.4	3.1	1.2	.5	.2	.2	.1	100.0

TABLE 8

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
0 NONE	155	178	150	118	70	51	19	17	18	6	782
	19.8	22.8	19.2	15.1	9.0	6.5	2.4	2.2	2.3	.8	2.5
	1.5	2.0	2.6	3.8	4.5	6.9	5.8	10.1	11.9	15.0	
1 FIRST MONTH	1472	1292	839	382	198	97	46	26	6	2	4360
	33.8	29.6	19.2	8.8	4.5	2.2	1.1	.6	.1	.0	14.0
	14.0	14.6	14.8	12.4	12.7	13.1	13.9	15.5	4.0	5.0	
2 SECOND MONTH	3734	3279	1971	984	446	181	81	33	37	6	10752
	34.7	30.5	18.3	9.2	4.1	1.7	.8	.3	.3	.1	34.5
	35.4	37.1	34.7	31.8	28.5	24.5	24.5	19.6	24.5	15.0	
3 THIRD MONTH	2277	1821	1109	613	305	138	62	33	30	5	6393
	35.6	28.5	17.3	9.6	4.8	2.2	1.0	.5	.5	.1	20.5
	21.6	20.6	19.5	19.8	19.5	18.7	18.8	19.6	19.9	12.5	
4 FOURTH MONTH	1234	926	628	377	183	106	43	21	22	3	3543
	34.8	26.1	17.7	10.6	5.2	3.0	1.2	.6	.6	.1	11.4
	11.7	10.5	11.1	12.2	11.7	14.4	13.0	12.5	14.6	7.5	
5 FIFTH MONTH	792	576	407	261	151	60	26	11	12	1	2297
	34.5	25.1	17.7	11.4	6.6	2.6	1.1	.5	.5	.0	7.4
	7.5	6.5	7.2	8.4	9.7	8.1	7.9	6.5	7.9	2.5	
6 SIXTH MONTH	439	335	253	165	105	45	22	9	12	1	1386
	31.7	24.2	18.3	11.9	7.6	3.2	1.6	.6	.9	.1	4.4
	4.2	3.8	4.5	5.3	6.7	6.1	6.7	5.4	7.9	2.5	
7 SEVENTH MONTH	240	220	152	103	59	32	14	9	8	2	839
	28.6	26.2	18.1	12.3	7.0	3.8	1.7	1.1	1.0	.2	2.7
	2.3	2.5	2.7	3.3	3.8	4.3	4.2	5.4	5.3	5.0	
8 EIGHTH MONTH	115	127	98	47	29	21	11	6	3		457
	25.2	27.8	21.4	10.3	6.3	4.6	2.4	1.3	.7		1.5
	1.1	1.4	1.7	1.5	1.9	2.8	3.3	3.6	2.0		
9 NINTH MONTH	39	40	44	20	13	3	3	2	2	2	168
	23.2	23.8	26.2	11.9	7.7	1.8	1.8	1.2	1.2	1.2	.5
	.4	.5	.8	.6	.8	.4	.9	1.2	1.3	5.0	
10 NOT STATED	53	47	29	23	5	4	3	1	1	12	178
	29.8	26.4	16.3	12.9	2.8	2.2	1.7	.6	.6	6.7	.6
	.5	.5	.5	.7	.3	.5	.9	.6	.7	30.0	
Column Total	10550	8841	5680	3093	1564	738	330	168	151	40	31155
	33.9	28.4	18.2	9.9	5.0	2.4	1.1	.5	.5	.1	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY BIRTH WEIGHT
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

MPCB	BW: 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
0 NONE	120	231	875	5	1231
	9.7	18.8	71.1	.4	1.2
	6.7	3.3	.9	10.0	
1 FIRST MONTH	445	1405	18189	4	20043
	2.2	7.0	90.7	.0	19.8
	24.9	20.1	19.7	8.0	
2 SECOND MONTH	669	2653	40819	10	44151
	1.5	6.0	92.5	.0	43.5
	37.4	37.9	44.1	20.0	
3 THIRD MONTH	265	1235	16994	7	18501
	1.4	6.7	91.9	.0	18.2
	14.8	17.6	18.4	14.0	
4 FOURTH MONTH	137	622	6988	3	7750
	1.8	8.0	90.2	.0	7.6
	7.7	8.9	7.6	6.0	
5 FIFTH MONTH	87	356	3817	2	4262
	2.0	8.4	89.6	.0	4.2
	4.9	5.1	4.1	4.0	
6 SIXTH MONTH	23	236	2184	1	2444
	.9	9.7	89.4	.0	2.4
	1.3	3.4	2.4	2.0	
7 SEVENTH MONTH	8	136	1331	1	1476
	.5	9.2	90.2	.1	1.5
	.4	1.9	1.4	2.0	
8 EIGHTH MONTH	1	67	729		797
	.1	8.4	91.5		.8
	.1	1.0	.8		
9 NINTH MONTH	4	21	283		308
	1.3	6.8	91.9		.3
	.2	.3	.3		
10 NOT STATED	31	41	344	17	433
	7.2	9.5	79.4	3.9	.4
	1.7	.6	.4	34.0	
Column Total	1790	7003	92553	50	101396
	1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

MPCB	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	21	60	366	2	449
		4.7	13.4	81.5	.4	.6
		2.5	1.5	.6	6.1	
FIRST MONTH	1	251	966	14463	3	15683
		1.6	6.2	92.2	.0	22.3
		29.9	24.8	22.1	9.1	
SECOND MONTH	2	351	1686	31356	6	33399
		1.1	5.0	93.9	.0	47.5
		41.8	43.3	47.9	18.2	
THIRD MONTH	3	106	659	11336	7	12108
		.9	5.4	93.6	.1	17.2
		12.6	16.9	17.3	21.2	
FOURTH MONTH	4	54	252	3899	2	4207
		1.3	6.0	92.7	.0	6.0
		6.4	6.5	6.0	6.1	
FIFTH MONTH	5	32	114	1819		1965
		1.6	5.8	92.6		2.8
		3.8	2.9	2.8		
SIXTH MONTH	6	4	64	989	1	1058
		.4	6.0	93.5	.1	1.5
		.5	1.6	1.5	3.0	
SEVENTH MONTH	7	3	47	586	1	637
		.5	7.4	92.0	.2	.9
		.4	1.2	.9	3.0	
EIGHTH MONTH	8		21	319		340
			6.2	93.8		.5
			.5	.5		
NINTH MONTH	9	3	5	132		140
		2.1	3.6	94.3		.2
		.4	.1	.2		
NOT STATED	10	14	18	212	11	255
		5.5	7.1	83.1	4.3	.4
		1.7	.5	.3	33.3	
	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

MPCB	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0 NONE	99	171	509	3	782
	12.7	21.9	65.1	.4	2.5
	10.4	5.5	1.9	17.6	
1 FIRST MONTH	194	439	3726	1	4360
	4.4	10.1	85.5	.0	14.0
	20.4	14.1	13.8	5.9	
2 SECOND MONTH	318	967	9463	4	10752
	3.0	9.0	88.0	.0	34.5
	33.4	31.1	34.9	23.5	
3 THIRD MONTH	159	576	5658		6393
	2.5	9.0	88.5		20.5
	16.7	18.5	20.9		
4 FOURTH MONTH	83	370	3089	1	3543
	2.3	10.4	87.2	.0	11.4
	8.7	11.9	11.4	5.9	
5 FIFTH MONTH	55	242	1998	2	2297
	2.4	10.5	87.0	.1	7.4
	5.8	7.8	7.4	11.8	
6 SIXTH MONTH	19	172	1195		1386
	1.4	12.4	86.2		4.4
	2.0	5.5	4.4		
7 SEVENTH MONTH	5	89	745		839
	.6	10.6	88.8		2.7
	.5	2.9	2.8		
8 EIGHTH MONTH	1	46	410		457
	.2	10.1	89.7		1.5
	.1	1.5	1.5		
9 NINTH MONTH	1	16	151		168
	.6	9.5	89.9		.5
	.1	.5	.6		
10 NOT STATED	17	23	132	6	178
	9.6	12.9	74.2	3.4	.6
	1.8	.7	.5	35.3	
Column Total	951	3111	27076	17	31155
	3.1	10.0	86.9	.1	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY EDUCATION OF MOTHER
BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	89	424	491	170	42	15	1231
		7.2	34.4	39.9	13.8	3.4	1.2	1.2
		2.3	2.4	1.3	.8	.2	7.9	
ONE	1	32	139	131	47	7	2	358
		8.9	38.8	36.6	13.1	2.0	.6	.4
		.8	.8	.4	.2	.0	1.1	
TWO	2	68	219	230	58	13	3	591
		11.5	37.1	38.9	9.8	2.2	.5	.6
		1.8	1.3	.6	.3	.1	1.6	
THREE	3	90	285	314	90	26	6	811
		11.1	35.1	38.7	11.1	3.2	.7	.8
		2.3	1.6	.8	.4	.1	3.2	
FOUR	4	98	376	454	121	57	5	1111
		8.8	33.8	40.9	10.9	5.1	.5	1.1
		2.6	2.2	1.2	.5	.3	2.6	
FIVE	5	137	453	562	205	81	3	1441
		9.5	31.4	39.0	14.2	5.6	.2	1.4
		3.6	2.6	1.5	.9	.4	1.6	
SIX	6	208	668	781	278	144	2	2081
		10.0	32.1	37.5	13.4	6.9	.1	2.1
		5.4	3.8	2.1	1.2	.7	1.1	
SEVEN	7	192	593	823	346	201	3	2158
		8.9	27.5	38.1	16.0	9.3	.1	2.1
		5.0	3.4	2.2	1.6	1.0	1.6	
EIGHT	8	258	930	1480	627	418	11	3724
		6.9	25.0	39.7	16.8	11.2	.3	3.7
		6.7	5.3	4.0	2.8	2.1	5.8	
NINE	9	187	711	1321	671	501	12	3403
		5.5	20.9	38.8	19.7	14.7	.4	3.4
		4.9	4.1	3.5	3.0	2.5	6.3	
TEN	10	438	1830	3317	1801	1437	16	8839
		5.0	20.7	37.5	20.4	16.3	.2	8.7
		11.4	10.5	8.9	8.1	7.1	8.5	
(Continued)	Column Total	3831	17478	37303	22277	20318	189	101396
		3.8	17.2	36.8	22.0	20.0	.2	100.0

TABLE 10

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
ELEVEN	11	215	1020	2158	1223	961	6	5583
		3.9	18.3	38.7	21.9	17.2	.1	5.5
		5.6	5.8	5.8	5.5	4.7	3.2	
TWELVE	12	516	2510	5876	3668	3238	10	15818
		3.3	15.9	37.1	23.2	20.5	.1	15.6
		13.5	14.4	15.8	16.5	15.9	5.3	
THIRTEEN	13	256	1278	3145	1958	1819	10	8466
		3.0	15.1	37.1	23.1	21.5	.1	8.3
		6.7	7.3	8.4	8.8	9.0	5.3	
FOURTEEN	14	275	1571	3960	2703	2959	11	11479
		2.4	13.7	34.5	23.5	25.8	.1	11.3
		7.2	9.0	10.6	12.1	14.6	5.8	
FIFTEEN	15	361	2250	6248	4234	4781	15	17889
		2.0	12.6	34.9	23.7	26.7	.1	17.6
		9.4	12.9	16.7	19.0	23.5	7.9	
SIXTEEN OR MORE	16	359	2084	5837	3992	3576	14	15862
		2.3	13.1	36.8	25.2	22.5	.1	15.6
		9.4	11.9	15.6	17.9	17.6	7.4	
NOT STATED	17	52	137	175	85	57	45	551
		9.4	24.9	31.8	15.4	10.3	8.2	.5
		1.4	.8	.5	.4	.3	23.8	
	Column Total	3831	17478	37303	22277	20318	189	101396
		3.8	17.2	36.8	22.0	20.0	.2	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
NONE	0	52 11.6 1.9	129 28.7 1.3	157 35.0 .7	71 15.8 .4	31 6.9 .2	9 2.0 7.3	449 .6
ONE	1	21 17.2 .8	47 38.5 .5	30 24.6 .1	18 14.8 .1	5 4.1 .0	1 .8 .8	122 .2
TWO	2	41 19.9 1.5	58 28.2 .6	74 35.9 .3	24 11.7 .1	8 3.9 .0	1 .5 .8	206 .3
THREE	3	50 17.5 1.8	87 30.4 .9	100 35.0 .4	33 11.5 .2	11 3.8 .1	5 1.7 4.0	286 .4
FOUR	4	64 15.4 2.4	124 29.8 1.2	153 36.8 .6	46 11.1 .3	27 6.5 .2	2 .5 1.6	416 .6
FIVE	5	98 15.5 3.6	167 26.5 1.6	220 34.9 .9	93 14.7 .6	52 8.2 .3	1 .2 .8	631 .9
SIX	6	131 13.2 4.8	296 29.7 2.9	337 33.8 1.4	139 14.0 .9	92 9.2 .5	1 .1 .8	996 1.4
SEVEN	7	139 12.1 5.1	267 23.3 2.6	400 34.9 1.7	193 16.8 1.2	145 12.7 .8	2 .2 1.6	1146 1.6
EIGHT	8	188 8.8 6.9	485 22.6 4.8	767 35.8 3.2	373 17.4 2.3	322 15.0 1.9	9 .4 7.3	2144 3.1
NINE	9	141 6.4 5.2	408 18.5 4.0	772 35.0 3.2	464 21.0 2.9	416 18.8 2.4	7 .3 5.6	2208 3.1
TEN	10	283 5.1 10.4	986 17.6 9.7	1952 34.9 8.1	1184 21.2 7.4	1177 21.1 6.8	8 .1 6.5	5590 8.0
(Continued)	Column Total	2718 3.9	10146 14.4	24002 34.2	16043 22.8	17208 24.5	124 .2	70241 100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
ELEVEN	11	165	631	1388	867	813	3	3867
		4.3	16.3	35.9	22.4	21.0	.1	5.5
		6.1	6.2	5.8	5.4	4.7	2.4	
TWELVE	12	372	1557	3942	2738	2803	7	11419
		3.3	13.6	34.5	24.0	24.5	.1	16.3
		13.7	15.3	16.4	17.1	16.3	5.6	
THIRTEEN	13	185	808	2167	1460	1574	9	6203
		3.0	13.0	34.9	23.5	25.4	.1	8.8
		6.8	8.0	9.0	9.1	9.1	7.3	
FOURTEEN	14	198	1032	2763	2035	2490	9	8527
		2.3	12.1	32.4	23.9	29.2	.1	12.1
		7.3	10.2	11.5	12.7	14.5	7.3	
FIFTEEN	15	254	1441	4329	3162	4082	11	13279
		1.9	10.9	32.6	23.8	30.7	.1	18.9
		9.3	14.2	18.0	19.7	23.7	8.9	
SIXTEEN OR MORE	16	298	1553	4348	3093	3114	11	12417
		2.4	12.5	35.0	24.9	25.1	.1	17.7
		11.0	15.3	18.1	19.3	18.1	8.9	
NOT STATED	17	38	70	103	50	46	28	335
		11.3	20.9	30.7	14.9	13.7	8.4	.5
		1.4	.7	.4	.3	.3	22.6	
	Column Total	2718	10146	24002	16043	17208	124	70241
		3.9	14.4	34.2	22.8	24.5	.2	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	37	295	334	99	11	6	782
		4.7	37.7	42.7	12.7	1.4	.8	2.5
		3.3	4.0	2.5	1.6	.4	9.2	
ONE	1	11	92	101	29	2	1	236
		4.7	39.0	42.8	12.3	.8	.4	.8
		1.0	1.3	.8	.5	.1	1.5	
TWO	2	27	161	156	34	5	2	385
		7.0	41.8	40.5	8.8	1.3	.5	1.2
		2.4	2.2	1.2	.5	.2	3.1	
THREE	3	40	198	214	57	15	1	525
		7.6	37.7	40.8	10.9	2.9	.2	1.7
		3.6	2.7	1.6	.9	.5	1.5	
FOUR	4	34	252	301	75	30	3	695
		4.9	36.3	43.3	10.8	4.3	.4	2.2
		3.1	3.4	2.3	1.2	1.0	4.6	
FIVE	5	39	286	342	112	29	2	810
		4.8	35.3	42.2	13.8	3.6	.2	2.6
		3.5	3.9	2.6	1.8	.9	3.1	
SIX	6	77	372	444	139	52	1	1085
		7.1	34.3	40.9	12.8	4.8	.1	3.5
		6.9	5.1	3.3	2.2	1.7	1.5	
SEVEN	7	53	326	423	153	56	1	1012
		5.2	32.2	41.8	15.1	5.5	.1	3.2
		4.8	4.4	3.2	2.5	1.8	1.5	
EIGHT	8	70	445	713	254	96	2	1580
		4.4	28.2	45.1	16.1	6.1	.1	5.1
		6.3	6.1	5.4	4.1	3.1	3.1	
NINE	9	46	303	549	207	85	5	1195
		3.8	25.4	45.9	17.3	7.1	.4	3.8
		4.1	4.1	4.1	3.3	2.7	7.7	
TEN	10	155	844	1365	617	260	8	3249
		4.8	26.0	42.0	19.0	8.0	.2	10.4
		13.9	11.5	10.3	9.9	8.4	12.3	
	Column Total	1113	7332	13301	6234	3110	65	31155
		3.6	23.5	42.7	20.0	10.0	.2	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
ELEVEN	11	50	389	770	356	148	3	1716
		2.9	22.7	44.9	20.7	8.6	.2	5.5
		4.5	5.3	5.8	5.7	4.8	4.6	
TWELVE	12	144	953	1934	930	435	3	4399
		3.3	21.7	44.0	21.1	9.9	.1	14.1
		12.9	13.0	14.5	14.9	14.0	4.6	
THIRTEEN	13	71	470	978	498	245	1	2263
		3.1	20.8	43.2	22.0	10.8	.0	7.3
		6.4	6.4	7.4	8.0	7.9	1.5	
FOURTEEN	14	77	539	1197	668	469	2	2952
		2.6	18.3	40.5	22.6	15.9	.1	9.5
		6.9	7.4	9.0	10.7	15.1	3.1	
FIFTEEN	15	107	809	1919	1072	699	4	4610
		2.3	17.5	41.6	23.3	15.2	.1	14.8
		9.6	11.0	14.4	17.2	22.5	6.2	
SIXTEEN OR MORE	16	61	531	1489	899	462	3	3445
		1.8	15.4	43.2	26.1	13.4	.1	11.1
		5.5	7.2	11.2	14.4	14.9	4.6	
NOT STATED	17	14	67	72	35	11	17	216
		6.5	31.0	33.3	16.2	5.1	7.9	.7
		1.3	.9	.5	.6	.4	26.2	
	Column Total	1113	7332	13301	6234	3110	65	31155
		3.6	23.5	42.7	20.0	10.0	.2	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY AGE OF MOTHER
BY RACE

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
NONE	0		3	13	37	40	73	67	96	75	92	83	1231
			.2	1.1	3.0	3.2	5.9	5.4	7.8	6.1	7.5	6.7	1.2
			3.7	3.7	4.1	2.1	2.3	1.6	1.9	1.3	1.6	1.4	
ONE	1		1	4	10	10	22	31	29	27	24	23	358
			.3	1.1	2.8	2.8	6.1	8.7	8.1	7.5	6.7	6.4	.4
			1.2	1.1	1.1	.5	.7	.7	.6	.5	.4	.4	
TWO	2		1	8	11	24	21	47	64	42	48	46	591
			.2	1.4	1.9	4.1	3.6	8.0	10.8	7.1	8.1	7.8	.6
			1.2	2.3	1.2	1.3	.7	1.1	1.3	.8	.8	.8	
THREE	3		3	13	10	29	55	55	58	74	68	67	811
			.4	1.6	1.2	3.6	6.8	6.8	7.2	9.1	8.4	8.3	.8
			3.7	3.7	1.1	1.5	1.7	1.3	1.1	1.3	1.2	1.1	
FOUR	4		3	9	25	44	58	66	101	117	101	69	1111
			.3	.8	2.3	4.0	5.2	5.9	9.1	10.5	9.1	6.2	1.1
			3.7	2.5	2.8	2.3	1.8	1.6	2.0	2.1	1.7	1.2	
FIVE	5	1	5	13	21	50	82	107	122	101	102	124	1441
		.1	.3	.9	1.5	3.5	5.7	7.4	8.5	7.0	7.1	8.6	1.4
		7.7	6.1	3.7	2.4	2.7	2.6	2.6	2.4	1.8	1.8	2.1	
SIX	6	1	6	21	48	91	124	146	183	185	157	124	2081
		.0	.3	1.0	2.3	4.4	6.0	7.0	8.8	8.9	7.5	6.0	2.1
		7.7	7.3	5.9	5.4	4.8	3.9	3.5	3.6	3.3	2.7	2.1	
SEVEN	7		6	18	36	64	129	139	160	168	147	138	2158
			.3	.8	1.7	3.0	6.0	6.4	7.4	7.8	6.8	6.4	2.1
			7.3	5.1	4.0	3.4	4.0	3.4	3.1	3.0	2.5	2.3	
EIGHT	8	1	6	18	50	131	184	234	249	275	267	270	3724
		.0	.2	.5	1.3	3.5	4.9	6.3	6.7	7.4	7.2	7.3	3.7
		7.7	7.3	5.1	5.6	6.9	5.8	5.6	4.9	4.9	4.6	4.6	
NINE	9	2	5	8	43	86	146	195	203	209	208	220	3403
		.1	.1	.2	1.3	2.5	4.3	5.7	6.0	6.1	6.1	6.5	3.4
		15.4	6.1	2.3	4.8	4.6	4.6	4.7	4.0	3.7	3.6	3.7	
TEN	10	3	14	54	101	242	343	465	551	550	578	533	8839
		.0	.2	.6	1.1	2.7	3.9	5.3	6.2	6.2	6.5	6.0	8.7
		23.1	17.1	15.3	11.3	12.8	10.7	11.2	10.8	9.8	10.0	9.0	
	Column Total	13 .0	82 .1	354 .3	893 .9	1886 1.9	3199 3.2	4142 4.1	5098 5.0	5584 5.5	5777 5.7	5900 5.8	101396 100.0

(Continued)

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	69 5.6 1.1	70 5.7 1.2	258 21.0 1.0	166 13.5 .8	71 5.8 .9	14 1.1 1.3	2 .2 4.5	2 .2 7.7	1231 1.2
ONE	1	32 8.9 .5	16 4.5 .3	73 20.4 .3	32 8.9 .2	21 5.9 .3	3 .8 .3			358 .4
TWO	2	37 6.3 .6	27 4.6 .5	107 18.1 .4	68 11.5 .3	33 5.6 .4	6 1.0 .5	1 .2 2.3		591 .6
THREE	3	49 6.0 .8	50 6.2 .9	152 18.7 .6	86 10.6 .4	32 3.9 .4	8 1.0 .7	1 .1 2.3	1 .1 3.8	811 .8
FOUR	4	59 5.3 1.0	56 5.0 1.0	204 18.4 .8	134 12.1 .6	53 4.8 .7	12 1.1 1.1			1111 1.1
FIVE	5	84 5.8 1.4	75 5.2 1.3	295 20.5 1.1	176 12.2 .8	74 5.1 1.0	9 .6 .8			1441 1.4
SIX	6	122 5.9 2.0	113 5.4 2.0	402 19.3 1.5	235 11.3 1.1	104 5.0 1.4	19 .9 1.7			2081 2.1
SEVEN	7	132 6.1 2.2	111 5.1 1.9	479 22.2 1.8	288 13.3 1.4	120 5.6 1.6	22 1.0 2.0	1 .0 2.3		2158 2.1
EIGHT	8	224 6.0 3.7	209 5.6 3.6	834 22.4 3.1	522 14.0 2.5	216 5.8 2.8	32 .9 2.9		2 .1 7.7	3724 3.7
NINE	9	208 6.1 3.4	192 5.6 3.3	801 23.5 3.0	619 18.2 3.0	222 6.5 2.9	36 1.1 3.2			3403 3.4
TEN	10	529 6.0 8.7	507 5.7 8.8	2095 23.7 7.8	1571 17.8 7.6	612 6.9 8.0	83 .9 7.4	5 .1 11.4	3 .0 11.5	8839 8.7
(Continued)	Column Total	6051 6.0	5775 5.7	27029 26.7	20739 20.5	7685 7.6	1119 1.1	44 .0	26 .0	101396 100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
ELEVEN	11		4	14	59	109	196	281	300	341	328	352	5583
			.1	.3	1.1	2.0	3.5	5.0	5.4	6.1	5.9	6.3	5.5
			4.9	4.0	6.6	5.8	6.1	6.8	5.9	6.1	5.7	6.0	
TWELVE	12	4	7	44	135	258	464	617	728	829	869	892	15818
		.0	.0	.3	.9	1.6	2.9	3.9	4.6	5.2	5.5	5.6	15.6
		30.8	8.5	12.4	15.1	13.7	14.5	14.9	14.3	14.8	15.0	15.1	
THIRTEEN	13		3	23	57	144	234	273	397	455	461	496	8466
			.0	.3	.7	1.7	2.8	3.2	4.7	5.4	5.4	5.9	8.3
			3.7	6.5	6.4	7.6	7.3	6.6	7.8	8.1	8.0	8.4	
FOURTEEN	14	1	5	24	60	154	301	361	479	556	557	591	11479
		.0	.0	.2	.5	1.3	2.6	3.1	4.2	4.8	4.9	5.1	11.3
		7.7	6.1	6.8	6.7	8.2	9.4	8.7	9.4	10.0	9.6	10.0	
FIFTEEN	15		4	37	110	237	403	527	647	750	893	889	17889
			.0	.2	.6	1.3	2.3	2.9	3.6	4.2	5.0	5.0	17.6
			4.9	10.5	12.3	12.6	12.6	12.7	12.7	13.4	15.5	15.1	
SIXTEEN OR MORE	16		5	25	75	165	333	507	698	783	833	940	15862
			.0	.2	.5	1.0	2.1	3.2	4.4	4.9	5.3	5.9	15.6
			6.1	7.1	8.4	8.7	10.4	12.2	13.7	14.0	14.4	15.9	
NOT STATED	17		1	8	5	8	31	24	33	47	44	43	551
			.2	1.5	.9	1.5	5.6	4.4	6.0	8.5	8.0	7.8	.5
			1.2	2.3	.6	.4	1.0	.6	.6	.8	.8	.7	
(Continued)	Column Total	13	82	354	893	1886	3199	4142	5098	5584	5777	5900	101396
		.0	.1	.3	.9	1.9	3.2	4.1	5.0	5.5	5.7	5.8	100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	11	346	332	1491	1028	345	54	2	1	5583
		6.2	5.9	26.7	18.4	6.2	1.0	.0	.0	5.5
		5.7	5.7	5.5	5.0	4.5	4.8	4.5	3.8	
TWELVE	12	1028	893	4263	3362	1237	174	9	5	15818
		6.5	5.6	27.0	21.3	7.8	1.1	.1	.0	15.6
		17.0	15.5	15.8	16.2	16.1	15.5	20.5	19.2	
THIRTEEN	13	495	523	2332	1833	651	84	4	1	8466
		5.8	6.2	27.5	21.7	7.7	1.0	.0	.0	8.3
		8.2	9.1	8.6	8.8	8.5	7.5	9.1	3.8	
FOURTEEN	14	627	633	3289	2723	982	131	5		11479
		5.5	5.5	28.7	23.7	8.6	1.1	.0		11.3
		10.4	11.0	12.2	13.1	12.8	11.7	11.4		
FIFTEEN	15	979	979	5309	4364	1546	206	6	3	17889
		5.5	5.5	29.7	24.4	8.6	1.2	.0	.0	17.6
		16.2	17.0	19.6	21.0	20.1	18.4	13.6	11.5	
SIXTEEN OR MORE	16	992	960	4536	3460	1324	214	8	4	15862
		6.3	6.1	28.6	21.8	8.3	1.3	.1	.0	15.6
		16.4	16.6	16.8	16.7	17.2	19.1	18.2	15.4	
NOT STATED	17	39	29	109	72	42	12		4	551
		7.1	5.3	19.8	13.1	7.6	2.2		.7	.5
		.6	.5	.4	.3	.5	1.1		15.4	
	Column Total	6051	5775	27029	20739	7685	1119	44	26	101396
		6.0	5.7	26.7	20.5	7.6	1.1	.0	.0	100.0

Number of Missing Observations: 0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 13	14	15	16	17	18	19	20	21	22	23	Row Total
NONE	0		3	12	19	32	30	33	34	28	28	20	449
			.7	2.7	4.2	7.1	6.7	7.3	7.6	6.2	6.2	4.5	.6
			3.2	3.6	2.2	1.9	1.3	1.1	1.0	.8	.7	.5	
ONE	1		1	4	3	7	13	12	10	11	6	9	122
			.8	3.3	2.5	5.7	10.7	9.8	8.2	9.0	4.9	7.4	.2
			1.1	1.2	.3	.4	.6	.4	.3	.3	.2	.2	
TWO	2		2	2	8	7	17	17	11	23	17	14	206
			1.0	1.0	3.9	3.4	8.3	8.3	5.3	11.2	8.3	6.8	.3
			2.1	.6	.9	.4	.7	.6	.3	.6	.4	.3	
THREE	3		1	2	10	16	21	16	21	22	24	22	286
			.3	.7	3.5	5.6	7.3	5.6	7.3	7.7	8.4	7.7	.4
			1.1	.6	1.2	.9	.9	.5	.6	.6	.6	.5	
FOUR	4		2	1	16	25	29	34	39	39	33	21	416
			.5	.2	3.8	6.0	7.0	8.2	9.4	9.4	7.9	5.0	.6
			2.1	.3	1.9	1.5	1.2	1.1	1.1	1.1	.9	.5	
FIVE	5		3	4	14	27	39	53	47	45	50	35	631
			.5	.6	2.2	4.3	6.2	8.4	7.4	7.1	7.9	5.5	.9
			3.2	1.2	1.6	1.6	1.7	1.8	1.4	1.3	1.3	.9	
SIX	6	1	3	10	35	59	68	77	92	75	54	64	996
		.1	.3	1.0	3.5	5.9	6.8	7.7	9.2	7.5	5.4	6.4	1.4
		5.3	3.2	3.0	4.1	3.5	2.9	2.6	2.7	2.1	1.4	1.6	
SEVEN	7	1	4	13	27	53	60	74	86	72	82	67	1146
		.1	.3	1.1	2.4	4.6	5.2	6.5	7.5	6.3	7.2	5.8	1.6
		5.3	4.2	3.9	3.1	3.1	2.6	2.5	2.5	2.0	2.1	1.6	
EIGHT	8	2	6	15	52	70	132	123	155	156	150	128	2144
		.1	.3	.7	2.4	3.3	6.2	5.7	7.2	7.3	7.0	6.0	3.1
		10.5	6.3	4.5	6.0	4.1	5.6	4.1	4.5	4.4	3.9	3.1	
NINE	9	2	1	15	42	75	103	117	133	124	138	141	2208
		.1	.0	.7	1.9	3.4	4.7	5.3	6.0	5.6	6.3	6.4	3.1
		10.5	1.1	4.5	4.9	4.4	4.4	3.9	3.9	3.5	3.6	3.5	
TEN	10	5	11	31	108	166	233	313	330	317	302	321	5590
		.1	.2	.6	1.9	3.0	4.2	5.6	5.9	5.7	5.4	5.7	8.0
		26.3	11.6	9.3	12.5	9.8	10.0	10.4	9.6	8.9	7.9	7.9	
	Column Total	19	95	333	861	1689	2341	2997	3440	3544	3842	4075	70241
		.0	.1	.5	1.2	2.4	3.3	4.3	4.9	5.0	5.5	5.8	100.0

(Continued)

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	34 7.6 .9	87 19.4 .4	52 11.6 .3	32 7.1 .5	4 .9 .5		1 .2 7.7	449 .6
ONE	1	5 4.1 .1	23 18.9 .1	11 9.0 .1	5 4.1 .1	2 1.6 .2			122 .2
TWO	2	7 3.4 .2	41 19.9 .2	26 12.6 .2	12 5.8 .2	2 1.0 .2			206 .3
THREE	3	18 6.3 .5	61 21.3 .3	33 11.5 .2	12 4.2 .2	6 2.1 .7		1 .3 7.7	286 .4
FOUR	4	17 4.1 .4	72 17.3 .4	63 15.1 .4	21 5.0 .4	4 1.0 .5			416 .6
FIVE	5	40 6.3 1.0	142 22.5 .7	89 14.1 .5	37 5.9 .6	6 1.0 .7			631 .9
SIX	6	45 4.5 1.1	218 21.9 1.1	127 12.8 .8	57 5.7 1.0	11 1.1 1.3			996 1.4
SEVEN	7	57 5.0 1.4	291 25.4 1.5	185 16.1 1.1	64 5.6 1.1	10 .9 1.2			1146 1.6
EIGHT	8	123 5.7 3.1	519 24.2 2.6	361 16.8 2.2	132 6.2 2.2	20 .9 2.4			2144 3.1
NINE	9	125 5.7 3.1	567 25.7 2.8	444 20.1 2.7	157 7.1 2.7	24 1.1 2.8			2208 3.1
TEN	10	337 6.0 8.5	1459 26.1 7.3	1153 20.6 7.1	437 7.8 7.4	62 1.1 7.3	3 .1 9.7	2 .0 15.4	5590 8.0
(Continued)	Column Total	3975 5.7	20033 28.5	16209 23.1	5896 8.4	848 1.2	31 .0	13 .0	70241 100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 13	14	15	16	17	18	19	20	21	22	23	Row Total
ELEVEN	11	1	7	31	55	97	158	191	207	198	228	241	3867
		.0	.2	.8	1.4	2.5	4.1	4.9	5.4	5.1	5.9	6.2	5.5
		5.3	7.4	9.3	6.4	5.7	6.7	6.4	6.0	5.6	5.9	5.9	
TWELVE	12		10	46	120	259	345	444	541	578	620	713	11419
			.1	.4	1.1	2.3	3.0	3.9	4.7	5.1	5.4	6.2	16.3
			10.5	13.8	13.9	15.3	14.7	14.8	15.7	16.3	16.1	17.5	
THIRTEEN	13		9	26	62	145	165	255	312	307	344	352	6203
			.1	.4	1.0	2.3	2.7	4.1	5.0	4.9	5.5	5.7	8.8
			9.5	7.8	7.2	8.6	7.0	8.5	9.1	8.7	9.0	8.6	
FOURTEEN	14	3	8	26	81	194	236	302	347	355	418	431	8527
		.0	.1	.3	.9	2.3	2.8	3.5	4.1	4.2	4.9	5.1	12.1
		15.8	8.4	7.8	9.4	11.5	10.1	10.1	10.1	10.0	10.9	10.6	
FIFTEEN	15	1	6	49	102	218	322	411	464	551	617	713	13279
		.0	.0	.4	.8	1.6	2.4	3.1	3.5	4.1	4.6	5.4	18.9
		5.3	6.3	14.7	11.8	12.9	13.8	13.7	13.5	15.5	16.1	17.5	
SIXTEEN OR MORE	16	3	15	45	102	223	359	509	583	614	709	757	12417
		.0	.1	.4	.8	1.8	2.9	4.1	4.7	4.9	5.7	6.1	17.7
		15.8	15.8	13.5	11.8	13.2	15.3	17.0	16.9	17.3	18.5	18.6	
NOT STATED	17		3	1	5	16	11	16	28	29	22	26	335
			.9	.3	1.5	4.8	3.3	4.8	8.4	8.7	6.6	7.8	.5
			3.2	.3	.6	.9	.5	.5	.8	.8	.6	.6	
(Continued)	Column Total	19	95	333	861	1689	2341	2997	3440	3544	3842	4075	70241
		.0	.1	.5	1.2	2.4	3.3	4.3	4.9	5.0	5.5	5.8	100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	AGE 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
11 ELEVEN	233 6.0 5.9	1104 28.5 5.5	813 21.0 5.0	256 6.6 4.3	44 1.1 5.2	2 .1 6.5	1 .0 7.7	3867 5.5
12 TWELVE	622 5.4 15.6	3253 28.5 16.2	2704 23.7 16.7	1015 8.9 17.2	140 1.2 16.5	7 .1 22.6	2 .0 15.4	11419 16.3
13 THIRTEEN	365 5.9 9.2	1781 28.7 8.9	1486 24.0 9.2	526 8.5 8.9	65 1.0 7.7	2 .0 6.5	1 .0 7.7	6203 8.8
14 FOURTEEN	463 5.4 11.6	2552 29.9 12.7	2221 26.0 13.7	779 9.1 13.2	107 1.3 12.6	4 .0 12.9		8527 12.1
15 FIFTEEN	719 5.4 18.1	4135 31.1 20.6	3540 26.7 21.8	1259 9.5 21.4	165 1.2 19.5	5 .0 16.1	2 .0 15.4	13279 18.9
16 SIXTEEN OR MORE	750 6.0 18.9	3649 29.4 18.2	2855 23.0 17.6	1065 8.6 18.1	169 1.4 19.9	8 .1 25.8	2 .0 15.4	12417 17.7
17 NOT STATED	15 4.5 .4	79 23.6 .4	46 13.7 .3	30 9.0 .5	7 2.1 .8		1 .3 7.7	335 .5
Column Total	3975 5.7	20033 28.5	16209 23.1	5896 8.4	848 1.2	31 .0	13 .0	70241 100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT (Count / Row Pct / Col Pct)	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
0 NONE		3	10	25	21	41	37	63	41	64	55	782
		.4	1.3	3.2	2.7	5.2	4.7	8.1	5.2	8.2	7.0	2.5
		4.8	3.9	4.5	2.0	2.7	2.1	3.0	1.9	2.9	2.7	
1 ONE		1	3	6	7	15	18	17	17	13	17	236
		.4	1.3	2.5	3.0	6.4	7.6	7.2	7.2	5.5	7.2	.8
		1.6	1.2	1.1	.7	1.0	1.0	.8	.8	.6	.8	
2 TWO		1	6	9	16	14	30	47	31	25	29	385
		.3	1.6	2.3	4.2	3.6	7.8	12.2	8.1	6.5	7.5	1.2
		1.6	2.3	1.6	1.6	.9	1.7	2.2	1.4	1.1	1.4	
3 THREE		3	12	8	19	39	34	42	53	46	43	525
		.6	2.3	1.5	3.6	7.4	6.5	8.0	10.1	8.8	8.2	1.7
		4.8	4.6	1.4	1.9	2.6	1.9	2.0	2.5	2.1	2.1	
4 FOUR		3	7	24	28	33	37	67	78	62	36	695
		.4	1.0	3.5	4.0	4.7	5.3	9.6	11.2	8.9	5.2	2.2
		4.8	2.7	4.3	2.7	2.2	2.1	3.2	3.6	2.8	1.7	
5 FIVE	1	5	10	17	36	55	68	69	54	57	74	810
	.1	.6	1.2	2.1	4.4	6.8	8.4	8.5	6.7	7.0	9.1	2.6
	7.7	7.9	3.9	3.0	3.5	3.6	3.8	3.3	2.5	2.6	3.6	
6 SIX	1	5	18	38	56	65	78	106	93	82	70	1085
	.1	.5	1.7	3.5	5.2	6.0	7.2	9.8	8.6	7.6	6.5	3.5
	7.7	7.9	6.9	6.8	5.5	4.3	4.3	5.0	4.3	3.7	3.4	
7 SEVEN		5	14	23	37	76	79	86	82	75	56	1012
		.5	1.4	2.3	3.7	7.5	7.8	8.5	8.1	7.4	5.5	3.2
		7.9	5.4	4.1	3.6	5.0	4.4	4.1	3.8	3.4	2.7	
8 EIGHT	1	4	12	35	79	114	102	126	120	111	120	1580
	.1	.3	.8	2.2	5.0	7.2	6.5	8.0	7.6	7.0	7.6	5.1
	7.7	6.3	4.6	6.3	7.7	7.5	5.7	6.0	5.6	5.0	5.8	
9 NINE	2	3	7	28	44	71	92	86	76	84	82	1195
	.2	.3	.6	2.3	3.7	5.9	7.7	7.2	6.4	7.0	6.9	3.8
	15.4	4.8	2.7	5.0	4.3	4.7	5.1	4.1	3.5	3.8	4.0	
10 TEN	3	9	43	70	134	177	232	238	220	261	231	3249
	.1	.3	1.3	2.2	4.1	5.4	7.1	7.3	6.8	8.0	7.1	10.4
	23.1	14.3	16.6	12.5	13.1	11.7	12.9	11.3	10.3	11.7	11.2	
Column Total	13	63	259	560	1025	1510	1801	2101	2144	2233	2058	31155
	.0	.2	.8	1.8	3.3	4.8	5.8	6.7	6.9	7.2	6.6	100.0

(Continued)

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	49	36	171	114	39	10	2	1	782
		6.3	4.6	21.9	14.6	5.0	1.3	.3	.1	2.5
		2.5	2.0	2.4	2.5	2.2	3.7	15.4	7.7	
ONE	1	23	11	50	21	16	1			236
		9.7	4.7	21.2	8.9	6.8	.4			.8
		1.2	.6	.7	.5	.9	.4			
TWO	2	23	20	66	42	21	4	1		385
		6.0	5.2	17.1	10.9	5.5	1.0	.3		1.2
		1.2	1.1	.9	.9	1.2	1.5	7.7		
THREE	3	27	32	91	53	20	2	1		525
		5.1	6.1	17.3	10.1	3.8	.4	.2		1.7
		1.4	1.8	1.3	1.2	1.1	.7	7.7		
FOUR	4	38	39	132	71	32	8			695
		5.5	5.6	19.0	10.2	4.6	1.2			2.2
		1.9	2.2	1.9	1.6	1.8	3.0			
FIVE	5	49	35	153	87	37	3			810
		6.0	4.3	18.9	10.7	4.6	.4			2.6
		2.5	1.9	2.2	1.9	2.1	1.1			
SIX	6	58	68	184	108	47	8			1085
		5.3	6.3	17.0	10.0	4.3	.7			3.5
		2.9	3.8	2.6	2.4	2.6	3.0			
SEVEN	7	65	54	188	103	56	12	1		1012
		6.4	5.3	18.6	10.2	5.5	1.2	.1		3.2
		3.3	3.0	2.7	2.3	3.1	4.4	7.7		
EIGHT	8	96	86	315	161	84	12		2	1580
		6.1	5.4	19.9	10.2	5.3	.8		.1	5.1
		4.9	4.8	4.5	3.6	4.7	4.4		15.4	
NINE	9	67	67	234	175	65	12			1195
		5.6	5.6	19.6	14.6	5.4	1.0			3.8
		3.4	3.7	3.3	3.9	3.6	4.4			
TEN	10	208	170	636	418	175	21	2	1	3249
		6.4	5.2	19.6	12.9	5.4	.6	.1	.0	10.4
		10.5	9.4	9.1	9.2	9.8	7.7	15.4	7.7	
(Continued)	Column Total	1976	1800	6996	4530	1789	271	13	13	31155
		6.3	5.8	22.5	14.5	5.7	.9	.0	.0	100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT (Count / Row Pct / Col Pct)	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
11 ELEVEN		3 .2 4.8	7 .4 2.7	28 1.6 5.0	54 3.1 5.3	99 5.8 6.6	123 7.2 6.8	109 6.4 5.2	134 7.8 6.3	130 7.6 5.8	124 7.2 6.0	1716 5.5
12 TWELVE	4 .1 30.8	7 .2 11.1	34 .8 13.1	89 2.0 15.9	138 3.1 13.5	205 4.7 13.6	272 6.2 15.1	284 6.5 13.5	288 6.5 13.4	291 6.6 13.0	272 6.2 13.2	4399 14.1
13 THIRTEEN		3 .1 4.8	14 .6 5.4	31 1.4 5.5	82 3.6 8.0	89 3.9 5.9	108 4.8 6.0	142 6.3 6.8	143 6.3 6.7	154 6.8 6.9	152 6.7 7.4	2263 7.3
14 FOURTEEN	1 .0 7.7	2 .1 3.2	16 .5 6.2	34 1.2 6.1	73 2.5 7.1	107 3.6 7.1	125 4.2 6.9	177 6.0 8.4	209 7.1 9.7	202 6.8 9.0	173 5.9 8.4	2952 9.5
15 FIFTEEN		3 .1 4.8	31 .7 12.0	61 1.3 10.9	135 2.9 13.2	185 4.0 12.3	205 4.4 11.4	236 5.1 11.2	286 6.2 13.3	342 7.4 15.3	272 5.9 13.2	4610 14.8
16 SIXTEEN OR MORE		2 .1 3.2	10 .3 3.9	30 .9 5.4	63 1.8 6.1	110 3.2 7.3	148 4.3 8.2	189 5.5 9.0	200 5.8 9.3	219 6.4 9.8	231 6.7 11.2	3445 11.1
17 NOT STATED		1 .5 1.6	5 2.3 1.9	4 1.9 .7	3 1.4 .3	15 6.9 1.0	13 6.0 .7	17 7.9 .8	19 8.8 .9	15 6.9 .7	21 9.7 1.0	216 .7
Column Total	13 .0	63 .2	259 .8	560 1.8	1025 3.3	1510 4.8	1801 5.8	2101 6.7	2144 6.9	2233 7.2	2058 6.6	31155 100.0

(Continued)

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	11	105	99	387	215	89	10			1716
		6.1	5.8	22.6	12.5	5.2	.6			5.5
		5.3	5.5	5.5	4.7	5.0	3.7			
TWELVE	12	315	271	1010	658	222	34	2	3	4399
		7.2	6.2	23.0	15.0	5.0	.8	.0	.1	14.1
		15.9	15.1	14.4	14.5	12.4	12.5	15.4	23.1	
THIRTEEN	13	143	158	551	347	125	19	2		2263
		6.3	7.0	24.3	15.3	5.5	.8	.1		7.3
		7.2	8.8	7.9	7.7	7.0	7.0	15.4		
FOURTEEN	14	196	170	737	502	203	24	1		2952
		6.6	5.8	25.0	17.0	6.9	.8	.0		9.5
		9.9	9.4	10.5	11.1	11.3	8.9	7.7		
FIFTEEN	15	266	260	1174	824	287	41	1	1	4610
		5.8	5.6	25.5	17.9	6.2	.9	.0	.0	14.8
		13.5	14.4	16.8	18.2	16.0	15.1	7.7	7.7	
SIXTEEN OR MORE	16	235	210	887	605	259	45		2	3445
		6.8	6.1	25.7	17.6	7.5	1.3		.1	11.1
		11.9	11.7	12.7	13.4	14.5	16.6		15.4	
NOT STATED	17	13	14	30	26	12	5		3	216
		6.0	6.5	13.9	12.0	5.6	2.3		1.4	.7
		.7	.8	.4	.6	.7	1.8		23.1	
	Column Total	1976	1800	6996	4530	1789	271	13	13	31155
		6.3	5.8	22.5	14.5	5.7	.9	.0	.0	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY MARITAL STATUS
BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

STATUS Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	281 22.8 .4	950 77.2 2.9		1231 1.2
ONE	1	96 26.8 .1	261 72.9 .8	1 .3 2.0	358 .4
TWO	2	163 27.6 .2	428 72.4 1.3		591 .6
THREE	3	239 29.5 .3	571 70.4 1.8	1 .1 2.0	811 .8
FOUR	4	359 32.3 .5	752 67.7 2.3		1111 1.1
FIVE	5	535 37.1 .8	905 62.8 2.8	1 .1 2.0	1441 1.4
SIX	6	859 41.3 1.2	1220 58.6 3.8	2 .1 4.1	2081 2.1
SEVEN	7	1029 47.7 1.5	1128 52.3 3.5	1 .0 2.0	2158 2.1
EIGHT	8	1928 51.8 2.8	1793 48.1 5.6	3 .1 6.1	3724 3.7
NINE	9	2043 60.0 3.0	1356 39.8 4.2	4 .1 8.2	3403 3.4
TEN	10	5403 61.1 7.8	3432 38.8 10.6	4 .0 8.2	8839 8.7
(Continued)	Column Total	69043 68.1	32304 31.9	49 .0	101396 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
ELEVEN	11	3736	1845	2	5583
		66.9	33.0	.0	5.5
		5.4	5.7	4.1	
TWELVE	12	11263	4550	5	15818
		71.2	28.8	.0	15.6
		16.3	14.1	10.2	
THIRTEEN	13	6145	2319	2	8466
		72.6	27.4	.0	8.3
		8.9	7.2	4.1	
FOURTEEN	14	8687	2791	1	11479
		75.7	24.3	.0	11.3
		12.6	8.6	2.0	
FIFTEEN	15	13600	4285	4	17889
		76.0	24.0	.0	17.6
		19.7	13.3	8.2	
SIXTEEN OR MORE	16	12399	3458	5	15862
		78.2	21.8	.0	15.6
		18.0	10.7	10.2	
NOT STATED	17	278	260	13	551
		50.5	47.2	2.4	.5
		.4	.8	26.5	
	Column Total	69043	32304	49	101396
		68.1	31.9	.0	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
NONE	0	190 42.3 .3	259 57.7 2.1		449 .6
ONE	1	58 47.5 .1	63 51.6 .5	1 .8 2.8	122 .2
TWO	2	103 50.0 .2	103 50.0 .8		206 .3
THREE	3	145 50.7 .3	140 49.0 1.1	1 .3 2.8	286 .4
FOUR	4	218 52.4 .4	198 47.6 1.6		416 .6
FIVE	5	370 58.6 .6	260 41.2 2.1	1 .2 2.8	631 .9
SIX	6	623 62.6 1.1	371 37.2 3.0	2 .2 5.6	996 1.4
SEVEN	7	765 66.8 1.3	380 33.2 3.1	1 .1 2.8	1146 1.6
EIGHT	8	1509 70.4 2.6	633 29.5 5.1	2 .1 5.6	2144 3.1
NINE	9	1668 75.5 2.9	536 24.3 4.3	4 .2 11.1	2208 3.1
TEN	10	4380 78.4 7.6	1207 21.6 9.7	3 .1 8.3	5590 8.0
(Continued)	Column Total	57813 82.3	12392 17.6	36 .1	70241 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

STATUS Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
ELEVEN	11	3127 80.9 5.4	738 19.1 6.0	2 .1 5.6	3867 5.5
TWELVE	12	9567 83.8 16.5	1847 16.2 14.9	5 .0 13.9	11419 16.3
THIRTEEN	13	5242 84.5 9.1	960 15.5 7.7	1 .0 2.8	6203 8.8
FOURTEEN	14	7361 86.3 12.7	1165 13.7 9.4	1 .0 2.8	8527 12.1
FIFTEEN	15	11565 87.1 20.0	1711 12.9 13.8	3 .0 8.3	13279 18.9
SIXTEEN OR MORE	16	10706 86.2 18.5	1708 13.8 13.8	3 .0 8.3	12417 17.7
NOT STATED	17	216 64.5 .4	113 33.7 .9	6 1.8 16.7	335 .5
	Column Total	57813 82.3	12392 17.6	36 .1	70241 100.0

TABLE 12

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
NONE	0	91 11.6 .8	691 88.4 3.5		782 2.5
ONE	1	38 16.1 .3	198 83.9 1.0		236 .8
TWO	2	60 15.6 .5	325 84.4 1.6		385 1.2
THREE	3	94 17.9 .8	431 82.1 2.2		525 1.7
FOUR	4	141 20.3 1.3	554 79.7 2.8		695 2.2
FIVE	5	165 20.4 1.5	645 79.6 3.2		810 2.6
SIX	6	236 21.8 2.1	849 78.2 4.3		1085 3.5
SEVEN	7	264 26.1 2.4	748 73.9 3.8		1012 3.2
EIGHT	8	419 26.5 3.7	1160 73.4 5.8	1 .1 7.7	1580 5.1
NINE	9	375 31.4 3.3	820 68.6 4.1		1195 3.8
TEN	10	1023 31.5 9.1	2225 68.5 11.2	1 .0 7.7	3249 10.4
(Continued)	Column Total	11230 36.0	19912 63.9	13 .0	31155 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

STATUS Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
11 ELEVEN		609	1107		1716
		35.5	64.5		5.5
		5.4	5.6		
12 TWELVE		1696	2703		4399
		38.6	61.4		14.1
		15.1	13.6		
13 THIRTEEN		903	1359	1	2263
		39.9	60.1	.0	7.3
		8.0	6.8	7.7	
14 FOURTEEN		1326	1626		2952
		44.9	55.1		9.5
		11.8	8.2		
15 FIFTEEN		2035	2574	1	4610
		44.1	55.8	.0	14.8
		18.1	12.9	7.7	
16 SIXTEEN OR MORE		1693	1750	2	3445
		49.1	50.8	.1	11.1
		15.1	8.8	15.4	
17 NOT STATED		62	147	7	216
		28.7	68.1	3.2	.7
		.6	.7	53.8	
	Column Total	11230	19912	13	31155
		36.0	63.9	.0	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY BIRTH ORDER
BY RACE

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
NONE	0	319	293	216	164	91	69	25	20	26	8	1231
		25.9	23.8	17.5	13.3	7.4	5.6	2.0	1.6	2.1	.6	1.2
		.9	.9	1.2	2.0	2.4	4.3	3.6	6.0	8.1	6.2	
ONE	1	73	98	75	52	26	13	13	4	3	1	358
		20.4	27.4	20.9	14.5	7.3	3.6	3.6	1.1	.8	.3	.4
		.2	.3	.4	.6	.7	.8	1.9	1.2	.9	.8	
TWO	2	137	160	129	65	47	36	3	7	6	1	591
		23.2	27.1	21.8	11.0	8.0	6.1	.5	1.2	1.0	.2	.6
		.4	.5	.7	.8	1.3	2.2	.4	2.1	1.9	.8	
THREE	3	205	201	152	112	73	28	19	8	11	2	811
		25.3	24.8	18.7	13.8	9.0	3.5	2.3	1.0	1.4	.2	.8
		.6	.6	.9	1.3	2.0	1.7	2.7	2.4	3.4	1.6	
FOUR	4	281	318	218	141	81	29	22	9	11	1	1111
		25.3	28.6	19.6	12.7	7.3	2.6	2.0	.8	1.0	.1	1.1
		.8	1.0	1.2	1.7	2.2	1.8	3.2	2.7	3.4	.8	
FIVE	5	436	401	257	157	97	50	21	11	10	1	1441
		30.3	27.8	17.8	10.9	6.7	3.5	1.5	.8	.7	.1	1.4
		1.2	1.3	1.4	1.9	2.6	3.1	3.0	3.3	3.1	.8	
SIX	6	711	553	364	220	113	59	30	20	10	1	2081
		34.2	26.6	17.5	10.6	5.4	2.8	1.4	1.0	.5	.0	2.1
		1.9	1.8	2.0	2.6	3.0	3.7	4.3	6.0	3.1	.8	
SEVEN	7	721	599	399	216	107	57	25	16	14	4	2158
		33.4	27.8	18.5	10.0	5.0	2.6	1.2	.7	.6	.2	2.1
		2.0	1.9	2.2	2.6	2.9	3.5	3.6	4.8	4.4	3.1	
EIGHT	8	1346	1088	651	319	181	74	30	12	21	2	3724
		36.1	29.2	17.5	8.6	4.9	2.0	.8	.3	.6	.1	3.7
		3.6	3.4	3.7	3.8	4.8	4.6	4.3	3.6	6.6	1.6	
NINE	9	1211	1023	619	299	148	50	21	16	12	4	3403
		35.6	30.1	18.2	8.8	4.3	1.5	.6	.5	.4	.1	3.4
		3.3	3.2	3.5	3.6	4.0	3.1	3.0	4.8	3.8	3.1	
TEN	10	3236	2738	1563	719	319	145	65	25	26	3	8839
		36.6	31.0	17.7	8.1	3.6	1.6	.7	.3	.3	.0	8.7
		8.8	8.7	8.8	8.6	8.5	9.0	9.4	7.5	8.1	2.3	
(Continued)	Column Total	36882 36.4	31542 31.1	17829 17.6	8317 8.2	3742 3.7	1608 1.6	694 .7	333 .3	320 .3	129 .1	101396 100.0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
ELEVEN	11	2169	1713	920	456	206	68	24	10	15	2	5583
		38.9	30.7	16.5	8.2	3.7	1.2	.4	.2	.3	.0	5.5
		5.9	5.4	5.2	5.5	5.5	4.2	3.5	3.0	4.7	1.6	
TWELVE	12	5855	5108	2783	1230	456	210	88	40	32	16	15818
		37.0	32.3	17.6	7.8	2.9	1.3	.6	.3	.2	.1	15.6
		15.9	16.2	15.6	14.8	12.2	13.1	12.7	12.0	10.0	12.4	
THIRTEEN	13	3222	2692	1506	613	242	103	43	23	16	6	8466
		38.1	31.8	17.8	7.2	2.9	1.2	.5	.3	.2	.1	8.3
		8.7	8.5	8.4	7.4	6.5	6.4	6.2	6.9	5.0	4.7	
FOURTEEN	14	4328	3685	1989	861	354	141	61	24	27	9	11479
		37.7	32.1	17.3	7.5	3.1	1.2	.5	.2	.2	.1	11.3
		11.7	11.7	11.2	10.4	9.5	8.8	8.8	7.2	8.4	7.0	
FIFTEEN	15	6559	5717	3114	1409	638	249	110	49	31	13	17889
		36.7	32.0	17.4	7.9	3.6	1.4	.6	.3	.2	.1	17.6
		17.8	18.1	17.5	16.9	17.0	15.5	15.9	14.7	9.7	10.1	
SIXTEEN OR MORE	16	5913	5005	2762	1232	540	219	92	37	48	14	15862
		37.3	31.6	17.4	7.8	3.4	1.4	.6	.2	.3	.1	15.6
		16.0	15.9	15.5	14.8	14.4	13.6	13.3	11.1	15.0	10.9	
NOT STATED	17	160	150	112	52	23	8	2	2	1	41	551
		29.0	27.2	20.3	9.4	4.2	1.5	.4	.4	.2	7.4	.5
		.4	.5	.6	.6	.6	.5	.3	.6	.3	31.8	
	Column Total	36882	31542	17829	8317	3742	1608	694	333	320	129	101396
		36.4	31.1	17.6	8.2	3.7	1.6	.7	.3	.3	.1	100.0

Number of Missing Observations: 0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
NONE	0	164 36.5 .6	115 25.6 .5	66 14.7 .5	46 10.2 .9	21 4.7 1.0	18 4.0 2.1	6 1.3 1.6	3 .7 1.8	8 1.8 4.7	2 .4 2.2	449 .6
ONE	1	28 23.0 .1	43 35.2 .2	24 19.7 .2	12 9.8 .2	6 4.9 .3	2 1.6 .2	5 4.1 1.4	1 .8 .6		1 .8 1.1	122 .2
TWO	2	60 29.1 .2	56 27.2 .2	43 20.9 .4	17 8.3 .3	14 6.8 .6	11 5.3 1.3	2 1.0 .5	2 1.0 1.2	1 .5 .6		206 .3
THREE	3	79 27.6 .3	78 27.3 .3	59 20.6 .5	37 12.9 .7	16 5.6 .7	7 2.4 .8	3 1.0 .8	1 .3 .6	4 1.4 2.4	2 .7 2.2	286 .4
FOUR	4	128 30.8 .5	117 28.1 .5	80 19.2 .7	43 10.3 .8	25 6.0 1.1	7 1.7 .8	11 2.6 3.0	1 .2 .6	4 1.0 2.4		416 .6
FIVE	5	209 33.1 .8	180 28.5 .8	105 16.6 .9	65 10.3 1.2	38 6.0 1.7	16 2.5 1.8	4 .6 1.1	7 1.1 4.2	6 1.0 3.6	1 .2 1.1	631 .9
SIX	6	349 35.0 1.3	274 27.5 1.2	174 17.5 1.4	92 9.2 1.8	51 5.1 2.3	32 3.2 3.7	13 1.3 3.6	6 .6 3.6	4 .4 2.4	1 .1 1.1	996 1.4
SEVEN	7	402 35.1 1.5	336 29.3 1.5	190 16.6 1.6	117 10.2 2.2	55 4.8 2.5	20 1.7 2.3	11 1.0 3.0	7 .6 4.2	6 .5 3.6	2 .2 2.2	1146 1.6
EIGHT	8	789 36.8 3.0	658 30.7 2.9	392 18.3 3.2	157 7.3 3.0	92 4.3 4.2	32 1.5 3.7	7 .3 1.9	8 .4 4.8	9 .4 5.3		2144 3.1
NINE	9	787 35.6 3.0	712 32.2 3.1	384 17.4 3.2	176 8.0 3.4	90 4.1 4.1	28 1.3 3.2	9 .4 2.5	12 .5 7.3	6 .3 3.6	4 .2 4.5	2208 3.1
TEN	10	2039 36.5 7.7	1861 33.3 8.2	982 17.6 8.1	413 7.4 7.9	166 3.0 7.6	74 1.3 8.5	32 .6 8.8	10 .2 6.1	11 .2 6.5	2 .0 2.2	5590 8.0
(Continued)	Column Total	26332 37.5	22701 32.3	12149 17.3	5224 7.4	2178 3.1	870 1.2	364 .5	165 .2	169 .2	89 .1	70241 100.0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT (Count / Row Pct / Col Pct)	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
11 ELEVEN	1521	1212	620	312	130	44	14	3	10	1	3867
	39.3	31.3	16.0	8.1	3.4	1.1	.4	.1	.3	.0	5.5
	5.8	5.3	5.1	6.0	6.0	5.1	3.8	1.8	5.9	1.1	
12 TWELVE	4274	3801	2007	831	281	117	56	26	16	10	11419
	37.4	33.3	17.6	7.3	2.5	1.0	.5	.2	.1	.1	16.3
	16.2	16.7	16.5	15.9	12.9	13.4	15.4	15.8	9.5	11.2	
13 THIRTEEN	2433	1975	1104	427	157	60	23	8	11	5	6203
	39.2	31.8	17.8	6.9	2.5	1.0	.4	.1	.2	.1	8.8
	9.2	8.7	9.1	8.2	7.2	6.9	6.3	4.8	6.5	5.6	
14 FOURTEEN	3292	2831	1424	582	233	87	37	18	15	8	8527
	38.6	33.2	16.7	6.8	2.7	1.0	.4	.2	.2	.1	12.1
	12.5	12.5	11.7	11.1	10.7	10.0	10.2	10.9	8.9	9.0	
15 FIFTEEN	4963	4374	2270	974	415	154	69	29	20	11	13279
	37.4	32.9	17.1	7.3	3.1	1.2	.5	.2	.2	.1	18.9
	18.8	19.3	18.7	18.6	19.1	17.7	19.0	17.6	11.8	12.4	
16 SIXTEEN OR MORE	4724	3985	2148	896	374	157	62	22	37	12	12417
	38.0	32.1	17.3	7.2	3.0	1.3	.5	.2	.3	.1	17.7
	17.9	17.6	17.7	17.2	17.2	18.0	17.0	13.3	21.9	13.5	
17 NOT STATED	91	93	77	27	14	4		1	1	27	335
	27.2	27.8	23.0	8.1	4.2	1.2		.3	.3	8.1	.5
	.3	.4	.6	.5	.6	.5		.6	.6	30.3	
Column Total	26332	22701	12149	5224	2178	870	364	165	169	89	70241
	37.5	32.3	17.3	7.4	3.1	1.2	.5	.2	.2	.1	100.0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	155 19.8 1.5	178 22.8 2.0	150 19.2 2.6	118 15.1 3.8	70 9.0 4.5	51 6.5 6.9	19 2.4 5.8	17 2.2 10.1	18 2.3 11.9	6 .8 15.0	782 2.5
ONE	1	45 19.1 .4	55 23.3 .6	51 21.6 .9	40 16.9 1.3	20 8.5 1.3	11 4.7 1.5	8 3.4 2.4	3 1.3 1.8	3 1.3 2.0		236 .8
TWO	2	77 20.0 .7	104 27.0 1.2	86 22.3 1.5	48 12.5 1.6	33 8.6 2.1	25 6.5 3.4	1 .3 .3	5 1.3 3.0	5 1.3 3.3	1 .3 2.5	385 1.2
THREE	3	126 24.0 1.2	123 23.4 1.4	93 17.7 1.6	75 14.3 2.4	57 10.9 3.6	21 4.0 2.8	16 3.0 4.8	7 1.3 4.2	7 1.3 4.6		525 1.7
FOUR	4	153 22.0 1.5	201 28.9 2.3	133 19.9 2.4	98 14.1 3.2	56 8.1 3.6	22 3.2 3.0	11 1.6 3.3	8 1.2 4.8	7 1.0 4.6	1 .1 2.5	695 2.2
FIVE	5	227 28.0 2.2	221 27.3 2.5	152 18.8 2.7	92 11.4 3.0	59 7.3 3.8	34 4.2 4.6	17 2.1 5.2	4 .5 2.4	4 .5 2.6		810 2.6
SIX	6	362 33.4 3.4	279 25.7 3.2	190 17.5 3.3	128 11.8 4.1	62 5.7 4.0	27 2.5 3.7	17 1.6 5.2	14 1.3 8.3	6 .6 4.0		1085 3.5
SEVEN	7	319 31.5 3.0	263 26.0 3.0	209 20.7 3.7	99 9.8 3.2	52 5.1 3.3	37 3.7 5.0	14 1.4 4.2	9 .9 5.4	8 .8 5.3	2 .2 5.0	1012 3.2
EIGHT	8	557 35.3 5.3	430 27.2 4.9	259 16.4 4.6	162 10.3 5.2	89 5.6 5.7	42 2.7 5.7	23 1.5 7.0	4 .3 2.4	12 .8 7.9	2 .1 5.0	1580 5.1
NINE	9	424 35.5 4.0	311 26.0 3.5	235 19.7 4.1	123 10.3 4.0	58 4.9 3.7	22 1.8 3.0	12 1.0 3.6	4 .3 2.4	6 .5 4.0		1195 3.8
TEN	10	1197 36.8 11.3	877 27.0 9.9	581 17.9 10.2	306 9.4 9.9	153 4.7 9.8	71 2.2 9.6	33 1.0 10.0	15 .5 8.9	15 .5 9.9	1 .0 2.5	3249 10.4
(Continued)	Column Total	10550 33.9	8841 28.4	5680 18.2	3093 9.9	1564 5.0	738 2.4	330 1.1	168 .5	151 .5	40 .1	31155 100.0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
ELEVEN	11	648	501	300	144	76	24	10	7	5	1	1716
		37.8	29.2	17.5	8.4	4.4	1.4	.6	.4	.3	.1	5.5
		6.1	5.7	5.3	4.7	4.9	3.3	3.0	4.2	3.3	2.5	
TWELVE	12	1581	1307	776	399	175	93	32	14	16	6	4399
		35.9	29.7	17.6	9.1	4.0	2.1	.7	.3	.4	.1	14.1
		15.0	14.8	13.7	12.9	11.2	12.6	9.7	8.3	10.6	15.0	
THIRTEEN	13	789	717	402	186	85	43	20	15	5	1	2263
		34.9	31.7	17.8	8.2	3.8	1.9	.9	.7	.2	.0	7.3
		7.5	8.1	7.1	6.0	5.4	5.8	6.1	8.9	3.3	2.5	
FOURTEEN	14	1036	854	565	279	121	54	24	6	12	1	2952
		35.1	28.9	19.1	9.5	4.1	1.8	.8	.2	.4	.0	9.5
		9.8	9.7	9.9	9.0	7.7	7.3	7.3	3.6	7.9	2.5	
FIFTEEN	15	1596	1343	844	435	223	95	41	20	11	2	4610
		34.6	29.1	18.3	9.4	4.8	2.1	.9	.4	.2	.0	14.8
		15.1	15.2	14.9	14.1	14.3	12.9	12.4	11.9	7.3	5.0	
SIXTEEN OR MORE	16	1189	1020	614	336	166	62	30	15	11	2	3445
		34.5	29.6	17.8	9.8	4.8	1.8	.9	.4	.3	.1	11.1
		11.3	11.5	10.8	10.9	10.6	8.4	9.1	8.9	7.3	5.0	
NOT STATED	17	69	57	35	25	9	4	2	1		14	216
		31.9	26.4	16.2	11.6	4.2	1.9	.9	.5		6.5	.7
		.7	.6	.6	.8	.6	.5	.6	.6		35.0	
	Column Total	10550	8841	5680	3093	1564	738	330	168	151	40	31155
		33.9	28.4	18.2	9.9	5.0	2.4	1.1	.5	.5	.1	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY BIRTH WEIGHT
BY RACE

TABLE 14

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	120 9.7 6.7	231 18.8 3.3	875 71.1 .9	5 .4 10.0	1231 1.2
ONE	1	45 12.6 2.5	77 21.5 1.1	236 65.9 .3		358 .4
TWO	2	61 10.3 3.4	119 20.1 1.7	410 69.4 .4	1 .2 2.0	591 .6
THREE	3	100 12.3 5.6	114 14.1 1.6	595 73.4 .6	2 .2 4.0	811 .8
FOUR	4	143 12.9 8.0	152 13.7 2.2	813 73.2 .9	3 .3 6.0	1111 1.1
FIVE	5	162 11.2 9.1	196 13.6 2.8	1083 75.2 1.2		1441 1.4
SIX	6	169 8.1 9.4	267 12.8 3.8	1645 79.0 1.8		2081 2.1
SEVEN	7	111 5.1 6.2	275 12.7 3.9	1772 82.1 1.9		2158 2.1
EIGHT	8	132 3.5 7.4	451 12.1 6.4	3140 84.3 3.4	1 .0 2.0	3724 3.7
NINE	9	71 2.1 4.0	319 9.4 4.6	3012 88.5 3.3	1 .0 2.0	3403 3.4
TEN	10	157 1.8 8.8	812 9.2 11.6	7867 89.0 8.5	3 .0 6.0	8839 8.7
(Continued)	Column Total	1790 1.8	7003 6.9	92553 91.3	50 .0	101396 100.0

TABLE 14

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
ELEVEN	11	29	363	5190	1	5583
		.5	6.5	93.0	.0	5.5
		1.6	5.2	5.6	2.0	
TWELVE	12	95	864	14857	2	15818
		.6	5.5	93.9	.0	15.6
		5.3	12.3	16.1	4.0	
THIRTEEN	13	36	401	8028	1	8466
		.4	4.7	94.8	.0	8.3
		2.0	5.7	8.7	2.0	
FOURTEEN	14	28	537	10911	3	11479
		.2	4.7	95.1	.0	11.3
		1.6	7.7	11.8	6.0	
FIFTEEN	15	174	826	16883	6	17889
		1.0	4.6	94.4	.0	17.6
		9.7	11.8	18.2	12.0	
SIXTEEN OR MORE	16	112	946	14800	4	15862
		.7	6.0	93.3	.0	15.6
		6.3	13.5	16.0	8.0	
NOT STATED	17	45	53	436	17	551
		8.2	9.6	79.1	3.1	.5
		2.5	.8	.5	34.0	
	Column Total	1790	7003	92553	50	101396
		1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

TABLE 14

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	21	60	366	2	449
		4.7	13.4	81.5	.4	.6
		2.5	1.5	.6	6.1	
ONE	1	14	23	85		122
		11.5	18.9	69.7		.2
		1.7	.6	.1		
TWO	2	22	34	150		206
		10.7	16.5	72.8		.3
		2.6	.9	.2		
THREE	3	32	29	223	2	286
		11.2	10.1	78.0	.7	.4
		3.8	.7	.3	6.1	
FOUR	4	49	36	328	3	416
		11.8	8.7	78.8	.7	.6
		5.8	.9	.5	9.1	
FIVE	5	67	74	490		631
		10.6	11.7	77.7		.9
		8.0	1.9	.7		
SIX	6	86	120	790		996
		8.6	12.0	79.3		1.4
		10.3	3.1	1.2		
SEVEN	7	59	139	948		1146
		5.1	12.1	82.7		1.6
		7.0	3.6	1.4		
EIGHT	8	58	239	1846	1	2144
		2.7	11.1	86.1	.0	3.1
		6.9	6.1	2.8	3.0	
NINE	9	37	197	1973	1	2208
		1.7	8.9	89.4	.0	3.1
		4.4	5.1	3.0	3.0	
TEN	10	80	464	5044	2	5590
		1.4	8.3	90.2	.0	8.0
		9.5	11.9	7.7	6.1	
(Continued)	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
ELEVEN	11	20	189	3657	1	3867
		.5	4.9	94.6	.0	5.5
		2.4	4.9	5.6	3.0	
TWELVE	12	47	507	10864	1	11419
		.4	4.4	95.1	.0	16.3
		5.6	13.0	16.6	3.0	
THIRTEEN	13	23	223	5956	1	6203
		.4	3.6	96.0	.0	8.8
		2.7	5.7	9.1	3.0	
FOURTEEN	14	13	324	8190		8527
		.2	3.8	96.0		12.1
		1.5	8.3	12.5		
FIFTEEN	15	116	547	12611	5	13279
		.9	4.1	95.0	.0	18.9
		13.8	14.1	19.3	15.2	
SIXTEEN OR MORE	16	74	659	11681	3	12417
		.6	5.3	94.1	.0	17.7
		8.8	16.9	17.8	9.1	
NOT STATED	17	21	28	275	11	335
		6.3	8.4	82.1	3.3	.5
		2.5	.7	.4	33.3	
	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	99 12.7 10.4	171 21.9 5.5	509 65.1 1.9	3 .4 17.6	782 2.5
ONE	1	31 13.1 3.3	54 22.9 1.7	151 64.0 .6		236 .8
TWO	2	39 10.1 4.1	85 22.1 2.7	260 67.5 1.0	1 .3 5.9	385 1.2
THREE	3	68 13.0 7.2	85 16.2 2.7	372 70.9 1.4		525 1.7
FOUR	4	94 13.5 9.9	116 16.7 3.7	485 69.8 1.8		695 2.2
FIVE	5	95 11.7 10.0	122 15.1 3.9	593 73.2 2.2		810 2.6
SIX	6	83 7.6 8.7	147 13.5 4.7	855 78.8 3.2		1085 3.5
SEVEN	7	52 5.1 5.5	136 13.4 4.4	824 81.4 3.0		1012 3.2
EIGHT	8	74 4.7 7.8	212 13.4 6.8	1294 81.9 4.8		1580 5.1
NINE	9	34 2.8 3.6	122 10.2 3.9	1039 86.9 3.8		1195 3.8
TEN	10	77 2.4 8.1	348 10.7 11.2	2823 86.9 10.4	1 .0 5.9	3249 10.4
(Continued)	Column Total	951 3.1	3111 10.0	27076 86.9	17 .1	31155 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
ELEVEN	11	9	174	1533		1716
		.5	10.1	89.3		5.5
		.9	5.6	5.7		
TWELVE	12	48	357	3993	1	4399
		1.1	8.1	90.8	.0	14.1
		5.0	11.5	14.7	5.9	
THIRTEEN	13	13	178	2072		2263
		.6	7.9	91.6		7.3
		1.4	5.7	7.7		
FOURTEEN	14	15	213	2721	3	2952
		.5	7.2	92.2	.1	9.5
		1.6	6.8	10.0	17.6	
FIFTEEN	15	58	279	4272	1	4610
		1.3	6.1	92.7	.0	14.8
		6.1	9.0	15.8	5.9	
SIXTEEN OR MORE	16	38	287	3119	1	3445
		1.1	8.3	90.5	.0	11.1
		4.0	9.2	11.5	5.9	
NOT STATED	17	24	25	161	6	216
		11.1	11.6	74.5	2.8	.7
		2.5	.8	.6	35.3	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY NUMBER OF PRENATAL VISITS
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
NONE	0	1231 100.0 100.0											1231 1.2
FIRST MONTH	1		12 .1 3.4	13 .1 2.2	23 .1 2.8	44 .2 4.0	87 .4 6.0	122 .6 5.9	140 .7 6.5	266 1.3 7.1	352 1.8 10.3	1039 5.2 11.8	20043 19.8
SECOND MONTH	2		35 .1 9.8	54 .1 9.1	91 .2 11.2	127 .3 11.4	211 .5 14.6	352 .8 16.9	467 1.1 21.6	950 2.2 25.5	1072 2.4 31.5	3076 7.0 34.8	44151 43.5
THIRD MONTH	3		23 .1 6.4	44 .2 7.4	85 .5 10.5	124 .7 11.2	201 1.1 13.9	338 1.8 16.2	411 2.2 19.0	835 4.5 22.4	807 4.4 23.7	2165 11.7 24.5	18501 18.2
FOURTH MONTH	4		26 .3 7.3	39 .5 6.6	101 1.3 12.5	128 1.7 11.5	223 2.9 15.5	311 4.0 14.9	353 4.6 16.4	675 8.7 18.1	560 7.2 16.5	1298 16.7 14.7	7750 7.6
FIFTH MONTH	5		38 .9 10.6	83 1.9 14.0	106 2.5 13.1	142 3.3 12.8	202 4.7 14.0	353 8.3 17.0	324 7.6 15.0	483 11.3 13.0	334 7.8 9.8	746 17.5 8.4	4262 4.2
SIXTH MONTH	6		38 1.6 10.6	86 3.5 14.6	103 4.2 12.7	167 6.8 15.0	237 9.7 16.4	274 11.2 13.2	268 11.0 12.4	310 12.7 8.3	173 7.1 5.1	353 14.4 4.0	2444 2.4
SEVENTH MONTH	7		47 3.2 13.1	85 5.8 14.4	131 8.9 16.2	190 12.9 17.1	183 12.4 12.7	225 15.2 10.8	132 8.9 6.1	156 10.6 4.2	78 5.3 2.3	127 8.6 1.4	1476 1.5
EIGHTH MONTH	8		73 9.2 20.4	131 16.4 22.2	128 16.1 15.8	145 18.2 13.1	84 10.5 5.8	85 10.7 4.1	50 6.3 2.3	33 4.1 .9	19 2.4 .6	14 1.8 .2	797 .8
NINTH MONTH	9		58 18.8 16.2	46 14.9 7.8	34 11.0 4.2	35 11.4 3.2	6 1.9 .4	11 3.6 .5	9 2.9 .4	4 1.3 .1	2 .6 .1	6 1.9 .1	308 .3
NOT STATED	10		8 1.8 2.2	10 2.3 1.7	9 2.1 1.1	9 2.1 .8	7 1.6 .5	10 2.3 .5	4 .9 .2	12 2.8 .3	6 1.4 .2	15 3.5 .2	433 .4
(Continued)	Column Total	1231 1.2	358 .4	591 .6	811 .8	1111 1.1	1441 1.4	2081 2.1	2158 2.1	3724 3.7	3403 3.4	8839 8.7	101396 100.0

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
0 NONE								1231 1.2
1 FIRST MONTH	751 3.7 13.5	3275 16.3 20.7	1660 8.3 19.6	2477 12.4 21.6	4960 24.7 27.7	4783 23.9 30.2	39 .2 7.1	20043 19.8
2 SECOND MONTH	2241 5.1 40.1	7079 16.0 44.8	4330 9.8 51.1	6192 14.0 53.9	9654 21.9 54.0	8148 18.5 51.4	72 .2 13.1	44151 43.5
3 THIRD MONTH	1438 7.8 25.8	3643 19.7 23.0	1660 9.0 19.6	2067 11.2 18.0	2459 13.3 13.7	2174 11.8 13.7	27 .1 4.9	18501 18.2
4 FOURTH MONTH	671 8.7 12.0	1157 14.9 7.3	581 7.5 6.9	539 7.0 4.7	550 7.1 3.1	517 6.7 3.3	21 .3 3.8	7750 7.6
5 FIFTH MONTH	324 7.6 5.8	454 10.7 2.9	178 4.2 2.1	141 3.3 1.2	186 4.4 1.0	149 3.5 .9	19 .4 3.4	4262 4.2
6 SIXTH MONTH	112 4.6 2.0	148 6.1 .9	31 1.3 .4	39 1.6 .3	46 1.9 .3	51 2.1 .3	8 .3 1.5	2444 2.4
7 SEVENTH MONTH	27 1.8 .5	34 2.3 .2	9 .6 .1	11 .7 .1	12 .8 .1	20 1.4 .1	9 .6 1.6	1476 1.5
8 EIGHTH MONTH	7 .9 .1	9 1.1 .1	8 1.0 .1	1 .1 .0	2 .3 .0	5 .6 .0	3 .4 .5	797 .8
9 NINTH MONTH	3 1.0 .1	6 1.9 .0	3 1.0 .0	3 1.0 .0	4 1.3 .0	2 .6 .0	76 24.7 13.8	308 .3
10 NOT STATED	9 2.1 .2	13 3.0 .1	6 1.4 .1	9 2.1 .1	16 3.7 .1	13 3.0 .1	277 64.0 50.3	433 .4
Column Total	5583 5.5	15818 15.6	8466 8.3	11479 11.3	17889 17.6	15862 15.6	551 .5	101396 100.0

Number of Missing Observations: 0

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
NONE	0	449 100.0 100.0											449 .6
FIRST MONTH	1		5 .0 4.1	4 .0 1.9	8 .1 2.8	19 .1 4.6	49 .3 7.8	77 .5 7.7	99 .6 8.6	172 1.1 8.0	264 1.7 12.0	779 5.0 13.9	15683 22.3
SECOND MONTH	2		19 .1 15.6	18 .1 8.7	41 .1 14.3	54 .2 13.0	109 .3 17.3	201 .6 20.2	307 .9 26.8	649 1.9 30.3	779 2.3 35.3	2205 6.6 39.4	33399 47.5
THIRD MONTH	3		10 .1 8.2	15 .1 7.3	36 .3 12.6	45 .4 10.8	87 .7 13.8	169 1.4 17.0	219 1.8 19.1	509 4.2 23.7	518 4.3 23.5	1323 10.9 23.7	12108 17.2
FOURTH MONTH	4		6 .1 4.9	11 .3 5.3	25 .6 8.7	53 1.3 12.7	90 2.1 14.3	146 3.5 14.7	175 4.2 15.3	347 8.2 16.2	325 7.7 14.7	698 16.6 12.5	4207 6.0
FIFTH MONTH	5		10 .5 8.2	29 1.5 14.1	35 1.8 12.2	38 1.9 9.1	88 4.5 13.9	139 7.1 14.0	134 6.8 11.7	218 11.1 10.2	173 8.8 7.8	345 17.6 6.2	1965 2.8
SIXTH MONTH	6		8 .8 6.6	22 2.1 10.7	24 2.3 8.4	54 5.1 13.0	88 8.3 13.9	116 11.0 11.6	109 10.3 9.5	147 13.9 6.9	94 8.9 4.3	164 15.5 2.9	1058 1.5
SEVENTH MONTH	7		13 2.0 10.7	29 4.6 14.1	47 7.4 16.4	76 11.9 18.3	78 12.2 12.4	98 15.4 9.8	70 11.0 6.1	74 11.6 3.5	42 6.6 1.9	59 9.3 1.1	637 .9
EIGHTH MONTH	8		27 7.9 22.1	52 15.3 25.2	48 14.1 16.8	63 18.5 15.1	34 10.0 5.4	42 12.4 4.2	27 7.9 2.4	19 5.6 .9	9 2.6 .4	8 2.4 .1	340 .5
NINTH MONTH	9		20 14.3 16.4	23 16.4 11.2	18 12.9 6.3	12 8.6 2.9	4 2.9 .6	3 2.1 .3	3 2.1 .3	2 1.4 .1	1 .7 .0	2 1.4 .0	140 .2
NOT STATED	10		4 1.6 3.3	3 1.2 1.5	4 1.6 1.4	2 .8 .5	4 1.6 .6	5 2.0 .5	3 1.2 .3	7 2.7 .3	3 1.2 .1	7 2.7 .1	255 .4
(Continued)	Column Total	449 .6	122 .2	206 .3	286 .4	416 .6	631 .9	996 1.4	1146 1.6	2144 3.1	2208 3.1	5590 8.0	70241 100.0

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB	PCVISIT ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	Row Total
0 NONE								449 .6
1 FIRST MONTH	586 3.7 15.2	2543 16.2 22.3	1347 8.6 21.7	1991 12.7 23.3	3831 24.4 28.9	3878 24.7 31.2	31 .2 9.3	15683 22.3
2 SECOND MONTH	1692 5.1 43.8	5462 16.4 47.8	3214 9.6 51.8	4708 14.1 55.2	7355 22.0 55.4	6538 19.6 52.7	48 .1 14.3	33399 47.5
3 THIRD MONTH	984 8.1 25.4	2411 19.9 21.1	1146 9.5 18.5	1382 11.4 16.2	1672 13.8 12.6	1564 12.9 12.6	18 .1 5.4	12108 17.2
4 FOURTH MONTH	357 8.5 9.2	659 15.7 5.8	362 8.6 5.8	334 7.9 3.9	287 6.8 2.2	320 7.6 2.6	12 .3 3.6	4207 6.0
5 FIFTH MONTH	163 8.3 4.2	240 12.2 2.1	105 5.3 1.7	81 4.1 .9	88 4.5 .7	70 3.6 .6	9 .5 2.7	1965 2.8
6 SIXTH MONTH	60 5.7 1.6	74 7.0 .6	15 1.4 .2	20 1.9 .2	27 2.6 .2	32 3.0 .3	4 .4 1.2	1058 1.5
7 SEVENTH MONTH	12 1.9 .3	15 2.4 .1	5 .8 .1	3 .5 .0	4 .6 .0	7 1.1 .1	5 .8 1.5	637 .9
8 EIGHTH MONTH	4 1.2 .1	2 .6 .0	2 .6 .0	1 .3 .0		1 .3 .0	1 .3 .3	340 .5
9 NINTH MONTH	2 1.4 .1	3 2.1 .0	2 1.4 .0	1 .7 .0	3 2.1 .0		41 29.3 12.2	140 .2
10 NOT STATED	7 2.7 .2	10 3.9 .1	5 2.0 .1	6 2.4 .1	12 4.7 .1	7 2.7 .1	166 65.1 49.6	255 .4
Column Total	3867 5.5	11419 16.3	6203 8.8	8527 12.1	13279 18.9	12417 17.7	335 .5	70241 100.0

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB (Count / Row Pct / Col Pct)	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
0 NONE	782 100.0 100.0											782 2.5
1 FIRST MONTH		7 .2 3.0	9 .2 2.3	15 .3 2.9	25 .6 3.6	38 .9 4.7	45 1.0 4.1	41 .9 4.1	94 2.2 5.9	88 2.0 7.4	260 6.0 8.0	4360 14.0
2 SECOND MONTH		16 .1 6.8	36 .3 9.4	50 .5 9.5	73 .7 10.5	102 .9 12.6	151 1.4 13.9	160 1.5 15.8	301 2.8 19.1	293 2.7 24.5	871 8.1 26.8	10752 34.5
3 THIRD MONTH		13 .2 5.5	29 .5 7.5	49 .8 9.3	79 1.2 11.4	114 1.8 14.1	169 2.6 15.6	192 3.0 19.0	326 5.1 20.6	289 4.5 24.2	842 13.2 25.9	6393 20.5
4 FOURTH MONTH		20 .6 8.5	28 .8 7.3	76 2.1 14.5	75 2.1 10.8	133 3.8 16.4	165 4.7 15.2	178 5.0 17.6	328 9.3 20.8	235 6.6 19.7	600 16.9 18.5	3543 11.4
5 FIFTH MONTH		28 1.2 11.9	54 2.4 14.0	71 3.1 13.5	104 4.5 15.0	114 5.0 14.1	214 9.3 19.7	190 8.3 18.8	265 11.5 16.8	161 7.0 13.5	401 17.5 12.3	2297 7.4
6 SIXTH MONTH		30 2.2 12.7	64 4.6 16.6	79 5.7 15.0	113 8.2 16.3	149 10.8 18.4	158 11.4 14.6	159 11.5 15.7	163 11.8 10.3	79 5.7 6.6	189 13.6 5.8	1386 4.4
7 SEVENTH MONTH		34 4.1 14.4	56 6.7 14.5	84 10.0 16.0	114 13.6 16.4	105 12.5 13.0	127 15.1 11.7	62 7.4 6.1	82 9.8 5.2	36 4.3 3.0	68 8.1 2.1	839 2.7
8 EIGHTH MONTH		46 10.1 19.5	79 17.3 20.5	80 17.5 15.2	82 17.9 11.8	50 10.9 6.2	43 9.4 4.0	23 5.0 2.3	14 3.1 .9	10 2.2 .8	6 1.3 .2	457 1.5
9 NINTH MONTH		38 22.6 16.1	23 13.7 6.0	16 9.5 3.0	23 13.7 3.3	2 1.2 .2	8 4.8 .7	6 3.6 .6	2 1.2 .1	1 .6 .1	4 2.4 .1	168 .5
10 NOT STATED		4 2.2 1.7	7 3.9 1.8	5 2.8 1.0	7 3.9 1.0	3 1.7 .4	5 2.8 .5	1 .6 .1	5 2.8 .3	3 1.7 .3	8 4.5 .2	178 .6
Column Total	782 2.5	236 .8	385 1.2	525 1.7	695 2.2	810 2.6	1085 3.5	1012 3.2	1580 5.1	1195 3.8	3249 10.4	31155 100.0

(Continued)

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB	PCVISIT ELEVEN (11)	TWELVE (12)	THIRTEEN (13)	FOURTEEN (14)	FIFTEEN (15)	SIXTEEN OR MORE (16)	NOT STATED (17)	Row Total
0 NONE								782 2.5
1 FIRST MONTH	165 3.8 9.6	732 16.8 16.6	313 7.2 13.8	486 11.1 16.5	1129 25.9 24.5	905 20.8 26.3	8 .2 3.7	4360 14.0
2 SECOND MONTH	549 5.1 32.0	1617 15.0 36.8	1116 10.4 49.3	1484 13.8 50.3	2299 21.4 49.9	1610 15.0 46.7	24 .2 11.1	10752 34.5
3 THIRD MONTH	454 7.1 26.5	1232 19.3 28.0	514 8.0 22.7	685 10.7 23.2	787 12.3 17.1	610 9.5 17.7	9 .1 4.2	6393 20.5
4 FOURTH MONTH	314 8.9 18.3	498 14.1 11.3	219 6.2 9.7	205 5.8 6.9	263 7.4 5.7	197 5.6 5.7	9 .3 4.2	3543 11.4
5 FIFTH MONTH	161 7.0 9.4	214 9.3 4.9	73 3.2 3.2	60 2.6 2.0	98 4.3 2.1	79 3.4 2.3	10 .4 4.6	2297 7.4
6 SIXTH MONTH	52 3.8 3.0	74 5.3 1.7	16 1.2 .7	19 1.4 .6	19 1.4 .4	19 1.4 .6	4 .3 1.9	1386 4.4
7 SEVENTH MONTH	15 1.8 .9	19 2.3 .4	4 .5 .2	8 1.0 .3	8 1.0 .2	13 1.5 .4	4 .5 1.9	839 2.7
8 EIGHTH MONTH	3 .7 .2	7 1.5 .2	6 1.3 .3		2 .4 .0	4 .9 .1	2 .4 .9	457 1.5
9 NINTH MONTH	1 .6 .1	3 1.8 .1	1 .6 .0	2 1.2 .1	1 .6 .0	2 1.2 .1	35 20.8 16.2	168 .5
10 NOT STATED	2 1.1 .1	3 1.7 .1	1 .6 .0	3 1.7 .1	4 2.2 .1	6 3.4 .2	111 62.4 51.4	178 .6
Column Total	1716 5.5	4399 14.1	2263 7.3	2952 9.5	4610 14.8	3445 11.1	216 .7	31155 100.0

Number of Missing Observations: 0

MEDICAL HISTORY
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	MEDHI1	786	3628	69006	26	73446
		1.1	4.9	94.0	.0	72.4
		43.9	51.8	74.6	52.0	
ANEMIA	MEDHI2	27	140	1939	1	2107
		1.3	6.6	92.0	.0	2.1
		1.5	2.0	2.1	2.0	
DIABETES	MEDHI3	29	174	2315	0	2518
		1.2	6.9	91.9	.0	2.5
		1.6	2.5	2.5	.0	
HYPERTENSION	MEDHI4	234	894	4776	1	5905
		4.0	15.1	80.9	.0	5.8
		13.1	12.8	5.2	2.0	
ALL OTHERS	MEDHI5	858	2650	17026	10	20544
		4.2	12.9	82.9	.0	20.3
		47.9	37.8	18.4	20.0	
ONE OR MORE	MEDHI6	1003	3374	23510	12	27899
		3.6	12.1	84.3	.0	27.5
		56.0	48.2	25.4	24.0	
UNKNOWN	MEDHI7	1	1	37	12	51
		2.0	2.0	72.5	23.5	.1
		.1	.0	.0	24.0	
	Column Total	1790	7003	92553	50	101396
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	MEDHI1	349	2013	49581	17	51960
		.7	3.9	95.4	.0	74.0
		41.6	51.7	75.7	51.5	
ANEMIA	MEDHI2	7	60	1113	1	1181
		.6	5.1	94.2	.1	1.7
		.8	1.5	1.7	3.0	
DIABETES	MEDHI3	14	107	1657	0	1778
		.8	6.0	93.2	.0	2.5
		1.7	2.7	2.5	.0	
HYPERTENSION	MEDHI4	113	545	3408	1	4067
		2.8	13.4	83.8	.0	5.8
		13.5	14.0	5.2	3.0	
ALL OTHERS	MEDHI5	422	1447	11334	7	13210
		3.2	11.0	85.8	.1	18.8
		50.3	37.2	17.3	21.2	
ONE OR MORE	MEDHI6	489	1878	15870	9	18246
		2.7	10.3	87.0	.0	26.0
		58.3	48.3	24.2	27.3	
UNKNOWN	MEDHI7	1	1	26	7	35
		2.9	2.9	74.3	20.0	.0
		.1	.0	.0	21.2	
	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	MEDHI1	437	1615	19425	9	21486
		2.0	7.5	90.4	.0	69.0
		46.0	51.9	71.7	52.9	
ANEMIA	MEDHI2	20	80	826	0	926
		2.2	8.6	89.2	.0	3.0
		2.1	2.6	3.1	.0	
DIABETES	MEDHI3	15	67	658	0	740
		2.0	9.1	88.9	.0	2.4
		1.6	2.2	2.4	.0	
HYPERTENSION	MEDHI4	121	349	1368	0	1838
		6.6	19.0	74.4	.0	5.9
		12.7	11.2	5.1	.0	
ALL OTHERS	MEDHI5	436	1203	5692	3	7334
		5.9	16.4	77.6	.0	23.5
		45.8	38.7	21.0	17.6	
ONE OR MORE	MEDHI6	514	1496	7640	3	9653
		5.3	15.5	79.1	.0	31.0
		54.0	48.1	28.2	17.6	
UNKNOWN	MEDHI7	0	0	11	5	16
		.0	.0	68.8	31.3	.1
		.0	.0	.0	29.4	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

MATERNAL SMOKING
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OMHS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NO TOBACCO USE	OMHIS1	1393	5016	77502	27	83938
		1.7	6.0	92.3	.0	82.8
		77.8	71.6	83.7	54.0	
SMOKED	OMHIS2	390	1979	14937	6	17312
		2.3	11.4	86.3	.0	17.1
		21.8	28.3	16.1	12.0	
SMOKING UNKNOWN	OMHIS3	7	8	114	17	146
		4.8	5.5	78.1	11.6	.1
		.4	.1	.1	34.0	
	Column Total	1790	7003	92553	50	101396
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OMHS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NO TOBACCO USE	OMHS1	605	2616	53554	18	56793
		1.1	4.6	94.3	.0	80.9
		72.1	67.2	81.8	54.5	
SMOKED	OMHS2	230	1270	11848	5	13353
		1.7	9.5	88.7	.0	19.0
		27.4	32.6	18.1	15.2	
SMOKING UNKNOWN	OMHS3	4	6	75	10	95
		4.2	6.3	78.9	10.5	.1
		.5	.2	.1	30.3	
	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OMHS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NO TOBACCO USE	OMHIS1	788	2400	23948	9	27145
		2.9	8.8	88.2	.0	87.1
		82.9	77.1	88.4	52.9	
SMOKED	OMHIS2	160	709	3089	1	3959
		4.0	17.9	78.0	.0	12.7
		16.8	22.8	11.4	5.9	
SMOKING UNKNOWN	OMHIS3	3	2	39	7	51
		5.9	3.9	76.5	13.7	.2
		.3	.1	.1	41.2	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

MATERNAL WEIGHT GAIN
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0-9 LBS	WEIGHT1	301	498	3293	4	4096
		7.3	12.2	80.4	.1	4.0
		16.8	7.1	3.6	8.0	
10-19 LBS	WEIGHT2	568	1382	9987	7	11944
		4.8	11.6	83.6	.1	11.8
		31.7	19.7	10.8	14.0	
20-29 LBS	WEIGHT3	466	2250	27191	10	29917
		1.6	7.5	90.9	.0	29.5
		26.0	32.1	29.4	20.0	
30-39 LBS	WEIGHT4	190	1544	27602	1	29337
		.6	5.3	94.1	.0	28.9
		10.6	22.0	29.8	2.0	
40+ LBS	WEIGHT5	110	1038	22654	4	23806
		.5	4.4	95.2	.0	23.5
		6.1	14.8	24.5	8.0	
UNKNOWN	WEIGHT6	155	291	1826	24	2296
		6.8	12.7	79.5	1.0	2.3
		8.7	4.2	2.0	48.0	
	Column Total	1790	7003	92553	50	101396
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0-9 LBS	WEIGHT1	119	209	1895	4	2227
		5.3	9.4	85.1	.2	3.2
		14.2	5.4	2.9	12.1	
10-19 LBS	WEIGHT2	249	651	6118	4	7022
		3.5	9.3	87.1	.1	10.0
		29.7	16.7	9.3	12.1	
20-29 LBS	WEIGHT3	259	1313	19426	7	21005
		1.2	6.3	92.5	.0	29.9
		30.9	33.7	29.7	21.2	
30-39 LBS	WEIGHT4	99	928	20395	1	21423
		.5	4.3	95.2	.0	30.5
		11.8	23.8	31.1	3.0	
40+ LBS	WEIGHT5	64	680	16610	4	17358
		.4	3.9	95.7	.0	24.7
		7.6	17.5	25.4	12.1	
UNKNOWN	WEIGHT6	49	111	1033	13	1206
		4.1	9.2	85.7	1.1	1.7
		5.8	2.9	1.6	39.4	
	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0-9 LBS	WEIGHT1	182	289	1398	0	1869
		9.7	15.5	74.8	.0	6.0
		19.1	9.3	5.2	.0	
10-19 LBS	WEIGHT2	319	731	3869	3	4922
		6.5	14.9	78.6	.1	15.8
		33.5	23.5	14.3	17.6	
20-29 LBS	WEIGHT3	207	937	7765	3	8912
		2.3	10.5	87.1	.0	28.6
		21.8	30.1	28.7	17.6	
30-39 LBS	WEIGHT4	91	616	7207	0	7914
		1.1	7.8	91.1	.0	25.4
		9.6	19.8	26.6	.0	
40+ LBS	WEIGHT5	46	358	6044	0	6448
		.7	5.6	93.7	.0	20.7
		4.8	11.5	22.3	.0	
UNKNOWN	WEIGHT6	106	180	793	11	1090
		9.7	16.5	72.8	1.0	3.5
		11.1	5.8	2.9	64.7	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

OBSTETRIC PROCEDURES
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
OBP1 NONE		158	402	5220	10	5790
		2.7	6.9	90.2	.2	5.7
		8.8	5.7	5.6	20.0	
OBP2 AMNIOCENTESIS		64	351	2706	1	3122
		2.0	11.2	86.7	.0	3.1
		3.6	5.0	2.9	2.0	
OBP3 ELECT FET MONITORING		1451	6147	80115	21	87734
		1.7	7.0	91.3	.0	86.5
		81.1	87.8	86.6	42.0	
OBP4 INDUCTION OF LABOR		157	1103	13815	4	15079
		1.0	7.3	91.6	.0	14.9
		8.8	15.8	14.9	8.0	
OBP5 STIMULATION OF LABOR		100	895	15956	4	16955
		.6	5.3	94.1	.0	16.7
		5.6	12.8	17.2	8.0	
OBP6 ULTRASOUND		1100	4665	64449	21	70235
		1.6	6.6	91.8	.0	69.3
		61.5	66.6	69.6	42.0	
OBP7 ALL OTHERS		233	500	1931	1	2665
		8.7	18.8	72.5	.0	2.6
		13.0	7.1	2.1	2.0	
OBP8 ONE OR MORE		1631	6600	87301	28	95560
		1.7	6.9	91.4	.0	94.2
		91.1	94.2	94.3	56.0	
OBP9 UNKNOWN		1	1	32	12	46
		2.2	2.2	69.6	26.1	.0
		.1	.0	.0	24.0	
	Column Total	1790	7003	92553	50	101396
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OPROC	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
	1	2	3	4	
OBP1 NONE	68	230	3881	7	4186
	1.6	5.5	92.7	.2	6.0
	8.1	5.9	5.9	21.2	
OBP2 AMNIOCENTESIS	41	249	2210	1	2501
	1.6	10.0	88.4	.0	3.6
	4.9	6.4	3.4	3.0	
OBP3 ELECT FET MONITORING	688	3401	56300	13	60402
	1.1	5.6	93.2	.0	86.0
	82.0	87.4	86.0	39.4	
OBP4 INDUCTION OF LABOR	76	647	10616	4	11343
	.7	5.7	93.6	.0	16.1
	9.1	16.6	16.2	12.1	
OBP5 STIMULATION OF LABOR	44	461	11028	4	11537
	.4	4.0	95.6	.0	16.4
	5.2	11.8	16.8	12.1	
OBP6 ULTRASOUND	517	2735	46763	15	50030
	1.0	5.5	93.5	.0	71.2
	61.6	70.3	71.4	45.5	
OBP7 ALL OTHERS	114	307	1470	1	1892
	6.0	16.2	77.7	.1	2.7
	13.6	7.9	2.2	3.0	
OBP8 ONE OR MORE	770	3661	61574	19	66024
	1.2	5.5	93.3	.0	94.0
	91.8	94.1	94.0	57.6	
OBP9 UNKNOWN	1	1	22	7	31
	3.2	3.2	71.0	22.6	.0
	.1	.0	.0	21.2	
Column Total	839	3892	65477	33	70241
	1.2	5.5	93.2	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
OBP1 NONE		90	172	1339	3	1604
		5.6	10.7	83.5	.2	5.1
		9.5	5.5	4.9	17.6	
OBP2 AMNIOCENTESIS		23	102	496	0	621
		3.7	16.4	79.9	.0	2.0
		2.4	3.3	1.8	.0	
OBP3 ELECT FET MONITORING		763	2746	23815	8	27332
		2.8	10.0	87.1	.0	87.7
		80.2	88.3	88.0	47.1	
OBP4 INDUCTION OF LABOR		81	456	3199	0	3736
		2.2	12.2	85.6	.0	12.0
		8.5	14.7	11.8	.0	
OBP5 STIMULATION OF LABOR		56	434	4928	0	5418
		1.0	8.0	91.0	.0	17.4
		5.9	14.0	18.2	.0	
OBP6 ULTRASOUND		583	1930	17686	6	20205
		2.9	9.6	87.5	.0	64.9
		61.3	62.0	65.3	35.3	
OBP7 ALL OTHERS		119	193	461	0	773
		15.4	25.0	59.6	.0	2.5
		12.5	6.2	1.7	.0	
OBP8 ONE OR MORE		861	2939	25727	9	29536
		2.9	10.0	87.1	.0	94.8
		90.5	94.5	95.0	52.9	
OBP9 UNKNOWN		0	0	10	5	15
		.0	.0	66.7	33.3	.0
		.0	.0	.0	29.4	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

EVENTS OF LABOR/DELIVERY
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	EVLAB1	522	3246	58038	22	61828
		.8	5.3	93.9	.0	61.0
		29.2	46.4	62.7	44.0	
MECONIUM	EVLAB2	31	288	7149	3	7471
		.4	3.9	95.7	.0	7.4
		1.7	4.1	7.7	6.0	
PREM RUPTURE	EVLAB3	394	879	2612	3	3888
		10.1	22.6	67.2	.1	3.8
		22.0	12.6	2.8	6.0	
DYSFUNCTIONAL LABOR	EVLAB4	27	186	4142	2	4357
		.6	4.3	95.1	.0	4.3
		1.5	2.7	4.5	4.0	
BREECH-MALPRESENT.	EVLAB5	371	652	3271	2	4296
		8.6	15.2	76.1	.0	4.2
		20.7	9.3	3.5	4.0	
FETAL DISTRESS	EVLAB6	290	948	8269	2	9509
		3.0	10.0	87.0	.0	9.4
		16.2	13.5	8.9	4.0	
ALL OTHERS	EVLAB7	752	1933	17795	8	20488
		3.7	9.4	86.9	.0	20.2
		42.0	27.6	19.2	16.0	
ONE OR MORE	EVLAB8	1264	3755	34486	16	39521
		3.2	9.5	87.3	.0	39.0
		70.6	53.6	37.3	32.0	
UNKNOWN	EVLAB9	4	2	29	12	47
		8.5	4.3	61.7	25.5	.0
		.2	.0	.0	24.0	
	Column Total	1790	7003	92553	50	101396
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	EVLAB1	221	1736	41620	14	43591
		.5	4.0	95.5	.0	62.1
		26.3	44.6	63.6	42.4	
MECONIUM	EVLAB2	12	134	4335	3	4484
		.3	3.0	96.7	.1	6.4
		1.4	3.4	6.6	9.1	
PREM RUPTURE	EVLAB3	178	480	1811	1	2470
		7.2	19.4	73.3	.0	3.5
		21.2	12.3	2.8	3.0	
DYSFUNCTIONAL LABOR	EVLAB4	15	96	2817	2	2930
		.5	3.3	96.1	.1	4.2
		1.8	2.5	4.3	6.1	
BREECH-MALPRESENT.	EVLAB5	169	465	2663	1	3298
		5.1	14.1	80.7	.0	4.7
		20.1	11.9	4.1	3.0	
FETAL DISTRESS	EVLAB6	153	522	5562	2	6239
		2.5	8.4	89.1	.0	8.9
		18.2	13.4	8.5	6.1	
ALL OTHERS	EVLAB7	385	1114	12566	5	14070
		2.7	7.9	89.3	.0	20.0
		45.9	28.6	19.2	15.2	
ONE OR MORE	EVLAB8	616	2154	23839	12	26621
		2.3	8.1	89.5	.0	37.9
		73.4	55.3	36.4	36.4	
UNKNOWN	EVLAB9	2	2	18	7	29
		6.9	6.9	62.1	24.1	.0
		.2	.1	.0	21.2	
	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	EVLAB1	301	1510	16418	8	18237
		1.7	8.3	90.0	.0	58.5
		31.7	48.5	60.6	47.1	
MECONIUM	EVLAB2	19	154	2814	0	2987
		.6	5.2	94.2	.0	9.6
		2.0	5.0	10.4	.0	
PREM RUPTURE	EVLAB3	216	399	801	2	1418
		15.2	28.1	56.5	.1	4.6
		22.7	12.8	3.0	11.8	
DYSFUNCTIONAL LABOR	EVLAB4	12	90	1325	0	1427
		.8	6.3	92.9	.0	4.6
		1.3	2.9	4.9	.0	
BREECH-MALPRESENT.	EVLAB5	202	187	608	1	998
		20.2	18.7	60.9	.1	3.2
		21.2	6.0	2.2	5.9	
FETAL DISTRESS	EVLAB6	137	426	2707	0	3270
		4.2	13.0	82.8	.0	10.5
		14.4	13.7	10.0	.0	
ALL OTHERS	EVLAB7	367	819	5229	3	6418
		5.7	12.8	81.5	.0	20.6
		38.6	26.3	19.3	17.6	
ONE OR MORE	EVLAB8	648	1601	10647	4	12900
		5.0	12.4	82.5	.0	41.4
		68.1	51.5	39.3	23.5	
UNKNOWN	EVLAB9	2	0	11	5	18
		11.1	.0	61.1	27.8	.1
		.2	.0	.0	29.4	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

METHOD OF DELIVERY
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
VAGINAL	MDEL1	1003	4767	72508	25	78303
		1.3	6.1	92.6	.0	77.2
		56.0	68.1	78.3	50.0	
PRIMARY C-SECT	MDEL2	689	1803	13012	11	15515
		4.4	11.6	83.9	.1	15.3
		38.5	25.7	14.1	22.0	
REPEAT C-SECT	MDEL3	95	414	6609	1	7119
		1.3	5.8	92.8	.0	7.0
		5.3	5.9	7.1	2.0	
FORCEPS	MDEL4	21	247	4756	1	5025
		.4	4.9	94.6	.0	5.0
		1.2	3.5	5.1	2.0	
VACUUM	MDEL5	10	307	8591	1	8909
		.1	3.4	96.4	.0	8.8
		.6	4.4	9.3	2.0	
UNKNOWN	MDEL6	1	2	22	13	38
		2.6	5.3	57.9	34.2	.0
		.1	.0	.0	26.0	
	Column Total	1790	7003	92553	50	101396
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
VAGINAL	MDEL1	416	2495	51204	21	54136
		.8	4.6	94.6	.0	77.1
		49.6	64.1	78.2	63.6	
PRIMARY C-SECT	MDEL2	382	1140	9231	4	10757
		3.6	10.6	85.8	.0	15.3
		45.5	29.3	14.1	12.1	
REPEAT C-SECT	MDEL3	38	246	4733	0	5017
		.8	4.9	94.3	.0	7.1
		4.5	6.3	7.2	.0	
FORCEPS	MDEL4	13	159	3695	1	3868
		.3	4.1	95.5	.0	5.5
		1.5	4.1	5.6	3.0	
VACUUM	MDEL5	2	201	6850	1	7054
		.0	2.8	97.1	.0	10.0
		.2	5.2	10.5	3.0	
UNKNOWN	MDEL6	1	2	12	8	23
		4.3	8.7	52.2	34.8	.0
		.1	.1	.0	24.2	
	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
VAGINAL	MDEL1	587	2272	21304	4	24167
		2.4	9.4	88.2	.0	77.6
		61.7	73.0	78.7	23.5	
PRIMARY C-SECT	MDEL2	307	663	3781	7	4758
		6.5	13.9	79.5	.1	15.3
		32.3	21.3	14.0	41.2	
REPEAT C-SECT	MDEL3	57	168	1876	1	2102
		2.7	8.0	89.2	.0	6.7
		6.0	5.4	6.9	5.9	
FORCEPS	MDEL4	8	88	1061	0	1157
		.7	7.6	91.7	.0	3.7
		.8	2.8	3.9	.0	
VACUUM	MDEL5	8	106	1741	0	1855
		.4	5.7	93.9	.0	6.0
		.8	3.4	6.4	.0	
UNKNOWN	MDEL6	0	0	10	5	15
		.0	.0	66.7	33.3	.0
		.0	.0	.0	29.4	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

CONDITIONS OF THE NEWBORN
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	796	5818	88499	22	95135
		.8	6.1	93.0	.0	93.8
		44.5	83.1	95.6	44.0	
ASSISTED VENTILATION	COND2	537	576	1952	5	3070
		17.5	18.8	63.6	.2	3.0
		30.0	8.2	2.1	10.0	
ALL OTHERS	COND3	703	768	2371	12	3854
		18.2	19.9	61.5	.3	3.8
		39.3	11.0	2.6	24.0	
ONE OR MORE	COND4	993	1181	4019	16	6209
		16.0	19.0	64.7	.3	6.1
		55.5	16.9	4.3	32.0	
UNKNOWN	COND5	1	4	35	12	52
		1.9	7.7	67.3	23.1	.1
		.1	.1	.0	24.0	
	Column Total	1790	7003	92553	50	101396
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	339	3135	62509	12	65995
		.5	4.8	94.7	.0	94.0
		40.4	80.5	95.5	36.4	
ASSISTED VENTILATION	COND2	249	349	1328	4	1930
		12.9	18.1	68.8	.2	2.7
		29.7	9.0	2.0	12.1	
ALL OTHERS	COND3	384	522	1848	11	2765
		13.9	18.9	66.8	.4	3.9
		45.8	13.4	2.8	33.3	
ONE OR MORE	COND4	499	753	2942	14	4208
		11.9	17.9	69.9	.3	6.0
		59.5	19.3	4.5	42.4	
UNKNOWN	COND5	1	4	26	7	38
		2.6	10.5	68.4	18.4	.1
		.1	.1	.0	21.2	
	Column Total	839	3892	65477	33	70241
		1.2	5.5	93.2	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	457	2683	25990	10	29140
		1.6	9.2	89.2	.0	93.5
		48.1	86.2	96.0	58.8	
ASSISTED VENTILATION	COND2	288	227	624	1	1140
		25.3	19.9	54.7	.1	3.7
		30.3	7.3	2.3	5.9	
ALL OTHERS	COND3	319	246	523	1	1089
		29.3	22.6	48.0	.1	3.5
		33.5	7.9	1.9	5.9	
ONE OR MORE	COND4	494	428	1077	2	2001
		24.7	21.4	53.8	.1	6.4
		51.9	13.8	4.0	11.8	
UNKNOWN	COND5	0	0	9	5	14
		.0	.0	64.3	35.7	.0
		.0	.0	.0	29.4	
	Column Total	951	3111	27076	17	31155
		3.1	10.0	86.9	.1	100.0

Percents and totals based on respondents

101,396 valid cases; 0 missing cases

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 4910

Department of Environment, Health, and Natural Resources
State Center for Health and Environmental Statistics
P. O. Box 29538
Raleigh, N.C. 27626-0538
919/733-4728

BULK RATE
U.S. Postage
PAID
Raleigh, N.C. 27626-0538
Permit No. 1862

400 copies of this public document were printed at a cost of $918.96 or $2.30 per copy.